

Ogden, IA

Urban Forestry Management Plan



Table of Contents

EXECUTIVE SUMMARY	1
Overview	1
Inventory and Results	1
Recommendations	1
INTRODUCTION	3
INVENTORY	5
INVENTORY RESULTS	5
ANNUAL BENEFITS	5
Annual Energy Benefits	5
Annual Stormwater Benefits	5
Annual Air Quality Benefits	6
Annual Carbon Benefits	6
Annual Aesthetics Benefits	6
Financial Summary of All Benefits	6
FOREST STRUCTURE	7
Species Distribution	7
Age Class	7
Condition: Wood and Foliage	7
Management Needs	8
Canopy Cover	8
Land Use and Location	8
RECOMMENDATIONS	10
Risk Management	10
Hazardous Trees	10
Poor Troo Species	10



Table of Contents

Pruning Cycle	10
Planting	10
Continual Monitoring	11
EMERALD ASH BORER PLAN	11
Ash Tree Removal	11
Treatment of Ash Trees	11
EAB Quarantines	12
Wood Disposal	12
Canopy Replacement	12
Postponed Work	13
Monitoring	13
Private Ash Trees	13
PROPOSED WORK SCHEDULE & BUDGET	15
PROPOSED WORK SCHEDULE WITH INCREASED BUDGET	16
WORKS CITED	17
APPENDIX A: I-TREE DATA	18
Table 1: Annual Energy Benefits	19
Table 2: Annual Stormwater Benefits	20
Table 3: Annual Air Quality Benefits	21
Table 4: Annual Carbon Stored	22
Table 5: Annual Carbon Sequestered	23
Table 6: Annual Social and Aesthetic Benefits	24
Table 7: Summary of Benefits in Dollars	25
Figure 1: Species Distribution	26
Figure 2: Relative Age Class	27
Figure 3: Foliage Condition	28






Table of Contents

Figure 4: Wood Condition	29
Figure 5: Canopy Cover in Acres	30
Figure 6: Land Use of City/Park Trees	31
APPENDIX B: ARCGIS MAPPING	32
Figure 1: Location of Ash Trees	32
Figure 2: Location of EAB Symptoms	32
Figure 3: Location of Poor Condition Trees	32
Figure 4: Location of Trees with Recommended Maintenance	32
APPENDIX C: OGDEN TREE ORDINANCES	33



Executive Summary



EXECUTIVE SUMMARY

Overview

This plan was developed to assist the City of Ogden in managing its urban forest, including budgeting and future planning. Trees bring numerous benefits to a community, and sound management helps leaders take advantage of these benefits. Management is especially important now considering the serious threats posed by forest pests like the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees except mountain ash. There is a strong possibility that 15% of Ogden's city-owned trees will die once EAB becomes established in the community, unless local leaders begin preventative treatment. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory and Results

In 2021, JEO conducted a tree inventory using Global Positioning System (GPS) data collectors. The inventory was a complete inventory of street and park trees. Below are some key findings of the 396 trees inventoried.

- Ogden trees provide \$82,944 of benefits annually, an average of \$209.45 per tree
- There are over 46 species of trees
- The top three genera are: Maple 37%, Ash 15%, and Walnut 6%
- 58.5% of trees need some type of management
- 40 trees should be removed

Recommendations

We detail our core recommendations in the Recommendations Section. In the Emerald Ash Borer Plan, we include management recommendations. Below are some key recommendations.

- Out of the 40 trees needing removal, 24 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately. *City ownership of the trees recommended for removal should be verified prior to any removal*
- 39 of the 59 ash trees should be carefully examined, as they have one or more symptoms that could be related to an EAB infestation.
- All trees should be pruned on a routine schedule: one third of the city every other year.
- Plant a diverse mix of trees that do not include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- Check ash trees yearly with a visual survey.
- With the current budget it could take 4 years to remove ash. We suggest that city officials retain their budget at \$10,000 annually and apply for grants to plant replacement trees





Introduction



INTRODUCTION



This plan was developed to assist Ogden with managing, budgeting, and future planning of their urban forest. Across the state, forestry budgets continue to decrease as a higher percentage of the budgets are devoted to tree removal. With the anticipated arrival of Emerald Ash Borer (EAB), an invasive pest that kills native ash trees, it is time to prepare for the increased costs of tree removal, treatment, and replacement planting. With proper planning and management of the current canopy in Ogden, these costs can be spread out over the years and public safety issues from dead and dying ash trees can be mitigated.

Trees are an important part of Ogden's infrastructure and one of the city's greatest assets. The benefits of trees are immense. Trees improve air quality, intercept stormwater runoff, conserve energy, lower traffic speeds, increase property values, reduce crime, improve mental health, and create a desirable place to live, to name just a few. Good urban forestry management will maintain these important benefits for the people of Ogden and future generations.

Urban forestry management sets goals and develops management strategies to achieve them. To develop management strategies, a comprehensive public tree inventory must be conducted. The inventory informs maintenance, removal schedules, tree planting, and budgeting. Aligning management actions with the tree inventory results will help meet Ogden's urban forestry goals.



Assist Ogden with Managing its Urban Forest



Inform on the Benefits of a Healthy Urban Forest



Establish
Preventative
Treatment for
Emerald Ash Borer



Develop Efficient City Tree Management Techniques



Mitigate Public Safety Issues





Findings



INVENTORY

In 2021, JEO conducted a tree inventory that included 100% of the city-owned trees on both streets and parks. The team collected tree data using a handheld Global Positioning System (GPS) receiver. The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. Because the inventory is a digital document the data can be updated with new information and become a working document.

The data collectors' programming was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide. The i-Tree suite is a public domain which can be accessed for free.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition. Additionally, for all ash trees, the team notes signs and symptoms associated with EAB including canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

INVENTORY RESULTS

JEO entered the data collected for the 396 city trees into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management as part of the i-Tree suite. Following are results from the i-Tree STREETS analysis.

ANNUAL BENEFITS

Annual Energy Benefits

Trees conserve energy by shading buildings and blocking winds. Ogden's trees reduce energy-related costs by approximately \$21,279 annually (Appendix A, Table 1). These savings are both in electricity (100.9 MWh) and in natural gas (13,895.0 Therms).

Annual Stormwater Benefits

Ogden's trees intercept about 1,191,081 gallons of rainfall or snow melt per year (Appendix A, Table 2). This interception provides \$32,278 in benefit to the city.





Annual Air Quality Benefits

Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and lessens emissions of volatile organic matter (ozone). In Ogden, it is estimated that trees remove 1,325 lbs of air pollution (ozone (O3), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO2), and sulfur dioxide (SO2)) per year with a net value of \$3,738 (Appendix A, Table 3).

Annual Carbon Benefits

Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Ogden, trees sequester about 261,268 lbs of carbon per year with an associated value of \$1,960 (Appendix A, Table 5). In addition, the trees store 4,496,488 lbs of carbon, with a yearly benefit of \$33,724 (Appendix A, Table 4).

Annual Aesthetics Benefits

The social benefits of trees are hard to capture. The i-Tree analysis does have a calculation for this area that includes aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Ogden receives \$22,589 in annual social benefits from trees (Appendix A, Table 6).

Financial Summary of All Benefits

According to the USDA Forest Service i-Tree STREETS analysis, Ogden's trees provide \$82,944 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 396 trees in Ogden provide approximately \$209.45 annually (Appendix A, Table 7).

ENERGY	STORMWATER	AIR QUALITY	CARBON	AESTHETICS	SUMMARY
• Reduce energy cost by \$21,279	 Intercept 1,191,081 gallons Provides \$32,278 benefit 	 Remove 1,325 lbs of pollution Net value of \$3,738 	 Sequester 261,268 lbs Value of \$1,960 Store 4,496,488 lbs Value of \$33,724 	• \$22,589 in social benefits	 \$82,944 annual benefits Each tree provides \$209.45 annually





FOREST STRUCTURE

Species Distribution

Ogden has over 46 different tree species along city streets and parks (Appendix A, Figure 1).

The distribution of trees by genera is as follows:

Maple	148	37%
Ash	59	15%
Walnut	25	6%
Oak	18	4.5%
Hackberry	18	4.5%
Spruce	17	4%
Basswood/Linden	16	4%
Apple (Crab)	11	3%
Sycamore	10	2.5%
Callery pear	8	2%
Elm	7	2%
Boxelder	6	1.5%
Eastern redbud	5	1%

Ginkgo	3	<1%
Honeylocust	3	<1%
Pine	3	<1%
Kentucky coffee	3	<1%
Buckeye	3	<1%
Cedar	3	<1%
Cottonwood	2	<1%
Catalpa	2	<1%
Tulip tree	1	<1%
Mulberry	1	<1%
Southern magnolia	1	<1%
Other Deciduous	3	<1%
Other Conifer	20	5%

Age Class

Most of Ogden's trees (44.7%) are between 18 and 30 inches in diameter at 4.5 ft (Appendix A, Figure 2).

To prepare for natural mortality and to maintain canopy cover, most trees should be in the smallest size category (a downward slope), indicating youth. Ogden's size curve is on the larger side, indicating an older than average stand.

Condition: Wood and Foliage

Both wood condition and leaf condition are good indicators of the urban forest's overall health. The foliage condition results for Ogden indicate that 92% of the trees are in good and fair health, with only 8% of the foliage in poor health, dead, or dying (Appendix A, Figure 3 & Appendix B, Figure 3). Similarly, 88% of Ogden's trees are in good and fair health for wood condition (Appendix A, Figure 4 & Appendix B, Figure 3). Twelve percent of the tree population's wood condition is in poor health, dead, or dying. This 12% is an estimate of trees that need management follow up.





Management Needs

The following outlines the specific management needs of the street and park trees by number of trees and percent of canopy (Appendix B, Figure 3).

Action	Number of Trees	Percentage
Crown Cleaning	203	51%
Crown Reduction	6	1.5%
Tree Removal	40	10%
Crown Raising	21	5%
Tree Staking	2	<1%

Canopy Cover

The total canopy with both private and public trees is 105.51 acres or 12% cover. The canopy cover included in the Ogden inventory includes approximately 12 acres (Appendix A, Figure 4). The city's canopy goal is to increase canopy by 6% in 30 years. To achieve this goal it is estimated that 4 trees need to be planted annually on public and private lands.

Land Use and Location

The majority of Ogden's city and park trees are in planting strips in single family residential neighborhoods (Appendix A, Figure 6 & Appendix A, Figure 7). The following describes the land use and locations for the street and park trees.

Land Use	Percentage
Single Family Residential	97%
Industrial/Large Commercial	0%
Park/Vacant/Other	3%
Small Commercial	0%
Multifamily Residential	0%





Recommendations



RECOMMENDATIONS

Risk Management

Hazardous trees can be a significant threat to both people and property. Trees that are dead, dying, or have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorists' vision of pedestrians, vehicles, traffic signs and signals should be removed.

HAZARDOUS TREES

Ogden has 40 critical concern trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance Map (Appendix B, Figure 4). We recommend starting with the large-diameter, critical concern trees first. There are 40 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the Proposed Schedule and Budget at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance. There are a total of 232 trees with maintenance needs.

POOR TREE SPECIES

After removing the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Figure 3 & Appendix B, Figure 4). Of the 40 removals, 29 are ash trees. There are a total of 59 ash trees, and 39 of those have signs and symptoms that have been associated with EAB. *City ownership of the trees recommended for removal should be verified prior to any removal*

Pruning Cycle

Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising removes lower branches that are two inches in diameter or larger to provide clearance for pedestrians or vehicles. Crown reduction removes individual limbs from structures or utility wires. We recommend that all trees be pruned on a routine schedule every five to seven years. Please refer to the Proposed Schedule and Budget for further information.

Planting

Most of the planting over the next five years will replace the trees that are removed. We recommend planting 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Ogden.





It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with maple (37%) (Appendix A, Figure 1). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut as outlined in section 151.02 of the city ordinance (Appendix C). All trees planted must meet the restrictions in city ordinance 151.02 (Appendix C).

Continual Monitoring

Due to the threat of EAB, it is important to continuously check the health of ash trees. We recommend that ash trees be checked with a visual survey every year for tree decline and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

EMERALD ASH BORER PLAN

Ash Tree Removal

Tree removal will be prioritized by first removing dead, dying, hazardous trees (Appendix B, Figure 4). Next will be all ash in poor condition that display EAB signs and symptoms (Appendix B, Figure 2 & Appendix B, Figure 3). *City ownership of the tree recommended for removal should be verified prior to any removal*

Treatment of Ash Trees

Chemical treatment can be an effective tool for communities to spread removal costs out over several years while allowing trees to continue providing benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit http://extension.entm.purdue.edu/treecomputer/







EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of millions of ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product, or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees? Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website

http://www.aphis.usda.gov/plant_health/plant_pest_info/emerald_ash_b/regulatory.shtml. Wood waste can be normally disposed of if your county is not part of a quarantine.

Canopy Replacement

As budget permits, all removed trees will be replaced. All trees will meet the restrictions in city ordinance 151.02 (Appendix C). No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. Instead, we recommend species such as Honeylocust, Kentucky coffeetree, swamp white oak, ginkgo, and eastern redbud.





Postponed Work

While finances, staffing, and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genera other than ash will be prioritized by hazardous or emergency situations only.

Monitoring

It is recommended that ash trees be checked with a visual survey every year for tree death and for EAB signs and symptoms including canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.


Private Ash Trees

It is strongly recommended that private property owners start removing ash trees on their property upon arrival of EAB if preventative treatments are not being used. City Code 151.06 states "If it is determined with reasonable certainty that any such condition exists on private property and that the danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property."





Schedule & Budget



PROPOSED WORK SCHEDULE & BUDGET

Budget Allowance of \$10,000/Year – (Based off Reported Yearly Tree Budget)

YEAR 1	Est. Cost	YEAR 4	Est. Cost
Remove 12 trees recommended for removal	\$8,400	Remove 6 trees recommended for removal	\$4,200
Plant 10 trees in open locations	\$1,500	Remove 4 ash trees	\$2,800
Visual Survey of EAB Signs/Symptoms	n/a	Plant 6 trees in open locations	\$900
TOTAL	\$9,900	Prune 1/3 of city owned trees	\$1,980
YEAR 2	Est. Cost	Visual Survey of EAB Signs/Symptoms	n/a
Remove 10 trees recommended for removal	\$7,000	TOTAL	\$9,880
Plant 6 trees in open locations	\$900	YEAR 5	Est. Cost
Prune 1/3 of city owned trees	\$1,980	Remove 12 ash trees	\$8,400
Visual Survey of EAB Signs/Symptoms	n/a	Plant 10 trees in open locations	\$1,500
TOTAL	\$9,880	Visual Survey of EAB Signs/Symptoms	n/a
YEAR 3	Est. Cost	TOTAL	\$9,900
Remove 12 trees recommended for removal	\$8,400	YEAR 6	Est. Cost
Plant 10 trees in open locations	\$1,500	Remove 10 ash trees	\$7,000
Visual Survey of EAB Signs/Symptoms	n/a	Plant 6 trees in open locations	\$900
TOTAL	\$9,900	Prune 1/3 of city owned trees	\$1,980
		Visual Survey of EAB Signs/Symptoms	n/a

Estimated costs based on average costs of \$700/tree for removal, \$150/tree for planting and maintenance, and \$15/tree for pruning.

TOTAL

^{**}To remove all ash trees within 6 years alone, the budget would need to be \$7,000 a year. If the budget were increased to \$12,000 a year all ash could be removed in 3.5 years.





\$9,880

YEAR 1

PROPOSED WORK SCHEDULE WITH INCREASED BUDGET

Budget Allowance of \$12,000/Year – (Budget Increase Suggested to Best Manage City Trees)

Est. Cost

Remove 15 trees recommended for removal	\$10,500
Plant 10 trees in open locations	\$1,500
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$12,000
YEAR 2	Est. Cost
Remove 12 trees recommended for removal	\$8,400
Plant 10 trees in open locations	\$1,500
Prune 1/3 of city owned trees	\$1,980
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$11,880
YEAR 3	Est. Cost
Remove 13 trees recommended for removal	\$9,100
Remove 2 ash trees	\$1,400
Plant 10 trees in open locations	\$1,500
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$12,000

YEAR 4	Est. Cost
Remove 12 ash trees	\$8,400
Plant 10 trees in open locations	\$1,500
Prune 1/3 of city owned trees	\$1,980
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$11,880
YEAR 5	Est. Cost
Remove 16 ash trees	\$11,200
Plant 5 trees in open locations	\$750
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$11,950
YEAR 6	Est. Cost
Removal funds (if need arises)	\$8,400
Plant 10 trees in open locations	\$1,500
Prune 1/3 of city owned trees	\$1,980
Visual Survey of EAB Signs/Symptoms	n/a
TOTAL	\$11,880

Proposed Budget Increase

EAB could potentially kill all ash trees in Ogden within four years of its arrival. To remove all ash trees alone within six years, the budget would need to be around \$7,000 a year. If the budget were increased to \$12,000 per year all ash could be removed within 3.5 years. Additionally, we recommend that Ogden apply for grants to fund replacement trees. Utility Company grants are





usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Another option considered by many communities is treating selected trees, either to maintain those trees in the landscape or to delay their removal – to spread out the costs and number of trees needing removal all at once. Trunk injection is administered every two years for the life of the tree. If treatment is discontinued, the tree dies. For instance, in this treatment scenario, the average ash diameter is 20 inches and at \$15 per inch, about 4 trees could be treated per year (every other year treatment). Four trees would be selected for treatment, and Ogden would still need to find \$38,500 for removal of ash. Alternatively, if there are 8 treatable trees, it would cost approximately \$2,400 a year for treatment and leave \$35,700 for removal of ash. These are alternatives to straight removal of ash trees. However, whether or not the treatment option is selected, there will be an increased cost of dealing with ash trees if EAB is found in Ogden. We suggest considering an increased budget to plan for this.

WORKS CITED

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf(April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, DJ and JF Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J; McPherson, E Gregory; Simpson, James R; Vargas, Kelaine E; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115





Appendices



APPENDIX A: i-TREE DATA

Table 1: Annual Energy Benefits





Ogden

Annual Energy Benefits of Public Trees

2/11/2022

To	otal Electricity	Electricity	Total Natural	Natural	Total Standard	% of Total	% of	Avg.
Species	(MWh)	(\$)	Gas (Therms)	Gas (\$)	(\$) Error	Trees	Total \$	\$/tree
Silver maple	27.2	2,061	3,595.3	3,523	5,584 (N/A)	20.5	26.2	68.94
Green ash	14.9	1,133	2,051.1	2,010	3,143 (N/A)	13.4	14.8	59.29
Norway maple	9.0	681	1,302.8	1,277	1,958 (N/A)	8.8	9.2	55.93
Black walnut	7.3	556	1,025.8	1,005	1,561 (N/A)	6.3	7.3	62.43
Northern hackberry	7.0	531	991.7	972	1,502 (N/A)	4.5	7.1	83.47
Conifer Evergreen Medium	0.1	7	16.8	16	23 (N/A)	3.5	0.1	1.65
Blue spruce	1.5	117	202.1	198	315 (N/A)	3.3	1.5	24.23
Black maple	3.6	272	479.3	470	742 (N/A)	3.3	3.5	57.07
Littleleaf linden	3.0	231	444.5	436	667 (N/A)	3.0	3.1	55.54
Sugar maple	3.1	238	429.0	420	658 (N/A)	3.0	3.1	54.87
Apple	1.4	109	213.9	210	318 (N/A)	2.8	1.5	28.95
American sycamore	4.2	316	565.9	555	871 (N/A)	2.5	4.1	87.07
Red maple	0.6	48	86.3	85	133 (N/A)	1.8	0.6	18.94
Northern red oak	1.3	102	181.8	178	280 (N/A)	1.8	1.3	40.02
Pear	0.6	42	88.8	87	129 (N/A)	1.5	0.6	21.52
White ash	1.4	105	184.1	180	285 (N/A)	1.5	1.3	47.52
Boxelder	1.3	101	183.4	180	281 (N/A)	1.5	1.3	46.80
Eastern redbud	0.6	47	99.3	97	145 (N/A)	1.3	0.7	28.94
Chinese elm	1.7	128	235.7	231	359 (N/A)	1.3	1.7	71.72
Spruce	0.4	34	53.4	52	86 (N/A)	1.0	0.4	21.50
Conifer Evergreen Large	0.5	39	58.5	57	97 (N/A)	1.0	0.5	24.14
American basswood	1.4	104	199.0	195	299 (N/A)	1.0	1.4	74.63
Pin oak	0.6	45	76.1	75	119 (N/A)	1.0	0.6	29.81
Ginkgo	0.0	8	15.8	15	24 (N/A)	0.8	0.0	7.91
Kentucky coffeetree	0.5	37	67.9	67	103 (N/A)	0.8	0.5	34.44
Ohio buckeye	0.8	62	116.5	114	176 (N/A)	0.8	0.8	58.77
Bur oak	0.6	48	86.4	85	132 (N/A)	0.8	0.6	44.10
Honeylocust	1.0	74	132.1	129	204 (N/A)	0.8	1.0	67.95
Eastern red cedar	0.3	25	49.3	48	74 (N/A)	0.8	0.3	24.57
Broadleaf Deciduous Large		40	76.2	75	115 (N/A)	0.5	0.5	57.32
Conifer Evergreen Small	0.0	2	4.9	5	7 (N/A)	0.5	0.0	3.62
Swamp white oak	0.0	26	46.3	45	71 (N/A)	0.5	0.0	35.62
Callery pear	0.3	18	30.3	30	48 (N/A)	0.5	0.3	23.94
Eastern white pine	0.2	28	49.2	48	76 (N/A)	0.5	0.2	38.17
Cottonwood	0.4	57	101.2	99	· ·	0.5	0.4	77.98
					156 (N/A)			
Tulip tree	0.3 0.2	20 18	38.1	37	57 (N/A)	0.3	0.3 0.2	57.32 44.23
Northern catalpa			27.0	26	44 (N/A)	0.3		
Broadleaf Deciduous Mediu		8	16.9	17	24 (N/A)	0.3	0.1	24.47
Southern magnolia	0.1	6	12.7	12	19 (N/A)	0.3	0.1	18.82
Mulberry	0.2	15	31.6	31	46 (N/A)	0.3	0.2	46.14
Scotch pine	0.2	14	24.6	24	38 (N/A)	0.3	0.2	38.17
American elm	0.4	29	52.8	52	80 (N/A)	0.3	0.4	80.37
Catalpa	0.3	20	38.1	37	57 (N/A)	0.3	0.3	57.32
Northern pin oak	0.3	24	47.4	46	71 (N/A)	0.3	0.3	70.84
Oak	0.2	18	27.0	26	44 (N/A)	0.3	0.2	44.23
Siberian elm	0.3	20	37.9	37	57 (N/A)	0.3	0.3	57.41
Total	100.9	7,662	13,895.0	13,617	21,279 (N/A)	100.0	100.0	53.74

Table 2: Annual Stormwater Benefits





Annual Stormwater Benefits of Public Trees

2/11/2022

Species Total rainfall Total Standard (S) Error Wof Total Trees Avg. Struct Silver maple 395,515 10,718 (N/A) 20.5 33.2 132.33 Green ash 161,969 4,389 (N/A) 113.4 13.6 82.82 Norway maple 86,523 2,345 (N/A) 8.8 7.3 66.99 Black walnut 79,758 2,161 (N/A) 6.3 6.7 86.46 Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115.97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 2.7 67.16 Littlead Linden 35,555 964 (N/A) 3.0 3.0 80.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.20 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 6,3,848 1,730 (N/A) 1.8 1.1 65.6 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>							
Silver maple 395,515 10,718 (N/A) 20.5 33.2 132.33 Green ash 161,969 4,389 (N/A) 13.4 13.6 82.82 Norway maple 86,523 2,345 (N/A) 8.8 7.3 66.99 Black walnut 79,758 2,161 (N/A) 6.3 6.7 86.46 Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115.97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 1.8 45,76 Black maple 32,218 873 (N/A) 3.3 1.8 45,76 Black maple 35,555 964 (N/A) 3.0 3.0 30.0 80.29 Sugar maple 35,111 952 (N/A) 3.0 3.0 30.9 80.29 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sysamore 63,848 1,730 (N/A) 1.5 1.1 48.56 </td <td></td> <td>Total rainfall</td> <td>Total</td> <td>Standard</td> <td>% of Total</td> <td>% of Total</td> <td>Avg.</td>		Total rainfall	Total	Standard	% of Total	% of Total	Avg.
Green ash 161,969 4,389 (N/A) 13.4 13.6 82.82 Norway maple 86,523 2,345 (N/A) 8.8 7.3 66,99 Black walnut 79,758 2,161 (N/A) 6.3 6.7 86,66 Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115,97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 10.3 Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.3 2.7 67.16 Littleleaf linden 35,555 964 (N/A) 3.0 2.9 79.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 1.8 0.1 19.0 Red maple 3,640 99 (N/A) 1.8 0.1 19.0 Northern red oak	Species	interception (Gal)	(\$)	Error	Trees	\$	\$/tree
Norway maple 86,523 2,345 (N/A) 8.8 7.3 66.99 Black walnut 79,758 2,161 (N/A) 6.3 6.7 86.46 Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115,97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.0 2.7 67.61 Littlefeal Tinden 35,555 964 (N/A) 3.0 2.9 79.29 Sugar maple 6,080 165 (N/A) 2.8 0.5 14.98 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565	Silver maple	395,515	10,718	(N/A)	20.5	33.2	132.33
Black walnut 79,758 2,161 (N/A) 6.3 6.7 86.46 Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115,97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.3 2.7 67.16 Littleaf linden 35,555 964 (N/A) 3.0 3.0 80.29 79.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.98 Northern red oak 12,544 340 (N/A) 1.8 1.1 65.75 Pear 1,989 54 (N/A) 1.5 1.1 66.75 White ash <td>Green ash</td> <td>161,969</td> <td>4,389</td> <td>(N/A)</td> <td>13.4</td> <td>13.6</td> <td>82.82</td>	Green ash	161,969	4,389	(N/A)	13.4	13.6	82.82
Northern hackberry 77,028 2,087 (N/A) 4.5 6.5 115.97 Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.0 2.7 67.16 Littleleaf linden 35,555 964 (N/A) 3.0 2.9 79.29 Sugar maple 6,080 165 (N/A) 2.8 0.5 14.98 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 66.75 Boxelder 13,478 365 (N/A) 1.5 1.1 60.78 Eastern redbud 3,5	Norway maple	86,523	2,345	(N/A)	8.8	7.3	66.99
Conifer Evergreen Medium 534 14 (N/A) 3.5 0.0 1.03 Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.3 2.7 67.16 Littleleal finden 35,555 964 (N/A) 3.0 2.9 79.29 Apple 6.080 165 (N/A) 2.8 0.5 14.98 Apple 6.080 165 (N/A) 1.8 0.5 14.09 Northern ed oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 66.75 Boxelder 13,478 365 (N/A) 1.5 <td>Black walnut</td> <td>79,758</td> <td>2,161</td> <td>(N/A)</td> <td>6.3</td> <td>6.7</td> <td>86.46</td>	Black walnut	79,758	2,161	(N/A)	6.3	6.7	86.46
Blue spruce 21,953 595 (N/A) 3.3 1.8 45.76 Black maple 32,218 873 (N/A) 3.3 2.7 67.16 Littleleaf linden 35,555 964 (N/A) 3.0 3.0 80.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,545 341 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 56.75 Boxelder 13,478 4592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154	Northern hackberry	77,028	2,087	(N/A)	4.5	6.5	115.97
Black maple 32,218 873 (N/A) 3.3 2.7 67.16 Littleleaf linden 35,555 964 (N/A) 3.0 3.0 80.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Ample 6,080 165 (N/A) 2.8 0.5 14,98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 66.78 Eastern redbud 3,598 98 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Chifee Evergreen Large 6,154 16	Conifer Evergreen Medium	534	14	(N/A)	3.5	0.0	1.03
Littleleaf linden 35,555 964 (N/A) 3.0 3.0 80.29 Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Apple 60,80 165 (N/A) 2.8 5.4 18.8 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Spruce 5,211 141 (N/A) 1.0 0.4 35.83 Ginkgo 45 (N/A) 1.0 0.	Blue spruce	21,953	595	(N/A)	3.3	1.8	45.76
Sugar maple 35,111 952 (N/A) 3.0 2.9 79.29 Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.4 17.0 American basswood 17,111 46	Black maple	32,218	873	(N/A)	3.3	2.7	67.16
Apple 6,080 165 (N/A) 2.8 0.5 14.98 American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.03 Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.3 1.8 11.0 Chinese elm 21,884 592 (N/A) 1.3 1.8 11.8 Spruce 5,211 141 (N/A) 1.0 <td>Littleleaf linden</td> <td>35,555</td> <td>964</td> <td>(N/A)</td> <td>3.0</td> <td>3.0</td> <td>80.29</td>	Littleleaf linden	35,555	964	(N/A)	3.0	3.0	80.29
American sycamore 63,848 1,730 (N/A) 2.5 5.4 173.0 All colors Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 66.78 Boxelder 13,478 365 (N/A) 1.5 1.1 60.88 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.4 41.79 American basswood 17,111 464 (N/A) 1.0 0.4 41.79 Pin oak 4,994 135 (N/A) 0.8 0.5 55.25 Ohio buckye 7,653	Sugar maple	35,111	952	(N/A)	3.0	2.9	79.29
Red maple 3,640 99 (N/A) 1.8 0.3 14.09 Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 56.75 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Pin oak 4,994 135 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A	Apple	6,080	165	(N/A)	2.8	0.5	14.98
Northern red oak 12,544 340 (N/A) 1.8 1.1 48.56 Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 60.88 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A	American sycamore	63,848	1,730	(N/A)	2.5	5.4	173.03
Pear 1,989 54 (N/A) 1.5 0.2 8.98 White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 60.88 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) <td>Red maple</td> <td>3,640</td> <td>99</td> <td>(N/A)</td> <td>1.8</td> <td>0.3</td> <td>14.09</td>	Red maple	3,640	99	(N/A)	1.8	0.3	14.09
White ash 12,565 341 (N/A) 1.5 1.1 56.75 Boxelder 13,478 365 (N/A) 1.5 1.1 60.88 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 <t< td=""><td>Northern red oak</td><td>12,544</td><td>340</td><td>(N/A)</td><td>1.8</td><td>1.1</td><td>48.56</td></t<>	Northern red oak	12,544	340	(N/A)	1.8	1.1	48.56
Boxelder 13,478 365 (N/A) 1.5 1.1 60.88 Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N	Pear	1,989	54	(N/A)	1.5	0.2	8.98
Eastern redbud 3,598 98 (N/A) 1.3 0.3 19.50 Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133	White ash	12,565	341	(N/A)	1.5	1.1	56.75
Chinese elm 21,854 592 (N/A) 1.3 1.8 118.45 Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 0.4 33.83 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 420 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.6 69.13 Honeylocust 10,495 284 (N/A) 0.8 0.7 76.37 Honeylocust Large 5,181 140 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small <t< td=""><td>Boxelder</td><td>13,478</td><td>365</td><td>(N/A)</td><td>1.5</td><td>1.1</td><td>60.88</td></t<>	Boxelder	13,478	365	(N/A)	1.5	1.1	60.88
Spruce 5,211 141 (N/A) 1.0 0.4 35.31 Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 1.4 115.93 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 4.20 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.6 69.13 Honeylocust 10,495 284 (N/A) 0.8 0.7 76.37 Honeylocust Large 5,181 140 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.0 4.97 Swamp white oak 1	Eastern redbud	3,598	98	(N/A)	1.3	0.3	19.50
Conifer Evergreen Large 6,154 167 (N/A) 1.0 0.5 41.70 American basswood 17,111 464 (N/A) 1.0 1.4 115.93 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 4.20 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.6 69.13 Honeylocust 10,495 284 (N/A) 0.8 0.7 76.37 Honeylocust Large 5,181 140 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.4 70.21 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Eastern white pine <td>Chinese elm</td> <td>21,854</td> <td>592</td> <td>(N/A)</td> <td>1.3</td> <td>1.8</td> <td>118.45</td>	Chinese elm	21,854	592	(N/A)	1.3	1.8	118.45
American basswood 17,111 464 (N/A) 1.0 1.4 115.93 Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 4.20 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.8 124.79 Cottonwood 9,830<	Spruce	5,211	141	(N/A)	1.0	0.4	35.31
Pin oak 4,994 135 (N/A) 1.0 0.4 33.83 Ginkgo 465 13 (N/A) 0.8 0.0 4.20 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 <td>Conifer Evergreen Large</td> <td>6,154</td> <td>167</td> <td>(N/A)</td> <td>1.0</td> <td>0.5</td> <td>41.70</td>	Conifer Evergreen Large	6,154	167	(N/A)	1.0	0.5	41.70
Ginkgo 465 13 (N/A) 0.8 0.0 4.20 Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,5	American basswood	17,111	464	(N/A)	1.0	1.4	115.93
Kentucky coffeetree 6,116 166 (N/A) 0.8 0.5 55.25 Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medi	Pin oak	4,994	135	(N/A)	1.0	0.4	33.83
Ohio buckeye 7,653 207 (N/A) 0.8 0.6 69.13 Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium </td <td>Ginkgo</td> <td>465</td> <td>13</td> <td>(N/A)</td> <td>0.8</td> <td>0.0</td> <td>4.20</td>	Ginkgo	465	13	(N/A)	0.8	0.0	4.20
Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.1 18.34 Mulberry	Kentucky coffeetree	6,116	166	(N/A)	0.8	0.5	55.25
Bur oak 8,455 229 (N/A) 0.8 0.7 76.37 Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.1 18.34 Mulberry	<u>-</u>				0.8	0.6	69.13
Honeylocust 10,495 284 (N/A) 0.8 0.9 94.81 Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.1 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 31.82	<u>-</u>				0.8	0.7	76.37
Eastern red cedar 4,904 133 (N/A) 0.8 0.4 44.30 Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82				` '		0.9	
Broadleaf Deciduous Large 5,181 140 (N/A) 0.5 0.4 70.21 Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82					0.8	0.4	44.30
Conifer Evergreen Small 367 10 (N/A) 0.5 0.0 4.97 Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	Broadleaf Deciduous Large		140	(N/A)	0.5	0.4	70.21
Swamp white oak 1,995 54 (N/A) 0.5 0.2 27.03 Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	Conifer Evergreen Small		10	(N/A)	0.5	0.0	4.97
Callery pear 1,421 39 (N/A) 0.5 0.1 19.26 Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82		1,995				0.2	27.03
Eastern white pine 9,209 250 (N/A) 0.5 0.8 124.79 Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	-						
Cottonwood 9,830 266 (N/A) 0.5 0.8 133.19 Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82							
Tulip tree 2,591 70 (N/A) 0.3 0.2 70.21 Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	•						
Northern catalpa 1,466 40 (N/A) 0.3 0.1 39.72 Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	Tulip tree						
Broadleaf Deciduous Medium 586 16 (N/A) 0.3 0.0 15.88 Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	Northern catalpa		40	(N/A)	0.3	0.1	39.72
Southern magnolia 677 18 (N/A) 0.3 0.1 18.34 Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	-				0.3	0.0	15.88
Mulberry 1,174 32 (N/A) 0.3 0.1 31.82	Southern magnolia	677			0.3	0.1	
•	ū						
Scotch pine 4,605 125 (N/A) 0.3 0.4 124.79	Scotch pine	4,605			0.3	0.4	124.79
American elm 4,551 123 (N/A) 0.3 0.4 123.33	•						
Catalpa 2,591 70 (N/A) 0.3 0.2 70.21							
Northern pin oak 3,764 102 (N/A) 0.3 0.3 102.01	-						
Oak 1,466 40 (N/A) 0.3 0.1 39.72	-						
Siberian elm 2,290 62 (N/A) 0.3 0.2 62.07	Siberian elm						
Citywide total 1,191,081 32,278 (N/A) 100.0 100.0 81.51	Citywide total	1,191,081	32,278	(N/A)	100.0	100.0	81.51

1

Table 3: Annual Air Quality Benefits





Ogden

Annual Air Quality Benefits of Public Trees 2/11/2022

	Deposition (lb)			(lb)	Total		Avoid	ed (lb)		Total	BVOC	BVOC	Total	Total Standard	% of Total Avg.
Species	О3	NO ₂	PM ₁₀	so 2	Depos. (\$)	NO ₂	PM ₁₀	VOC	so 2	Avoided (\$)	Emissions (lb)	Emissions (\$)	(lb)	(\$) Error	Trees \$/tree
Silver maple	68.8	11.7	33.7	3.1	371	128.2	18.8	17.9	122.8	802	-35.9	-135	369.0	1,038 (N/A)	20.5 12.81
Green ash	20.4	3.3	9.8	0.9	109	71.3	10.4	9.9	67.6	444	0.0	0	193.6	553 (N/A)	13.4 10.43
Norway maple	18.0	3.1	8.8	0.8	97	43.6	6.3	6.0	40.7	270	-4.2	-16	123.0	351 (N/A)	8.8 10.03
Black walnut	9.4	1.5	4.6	0.4	50	35.2	5.1	4.9	33.2	219	0.0	0	94.2	269 (N/A)	6.3 10.76
Northern hackberry	13.4	2.3	6.6	0.6	73	33.7	4.9	4.7	31.7	209	0.0	0	98.0	282 (N/A)	4.5 15.67
Conifer Evergreen Medium	0.0	0.0	0.0	0.0	0	0.5	0.1	0.1	0.4	3	-0.1	0	0.9	2 (N/A)	3.5 0.18
Blue spruce	3.1	0.6	2.6	0.4	21	7.3	1.1	1.0	7.0	45	-8.1	-31	14.8	35 (N/A)	3.3 2.72
Black maple	8.0	1.4	3.7	0.4	43	17.0	2.5	2.4	16.2	106	-2.7	-10	48.9	139 (N/A)	3.3 10.68
Littleleaf linden	6.4	1.1	3.1	0.3	35	14.8	2.1	2.0	13.8	92	-3.0	-11	40.7	115 (N/A)	3.0 9.57
Sugar maple	4.6	0.8	2.3	0.2	25	14.9	2.2	2.1	14.2	93	-3.6	-14	37.7	105 (N/A)	3.0 8.71
Apple	1.9	0.3	0.9	0.1	10	7.0	1.0	1.0	6.5	43	0.0	0	18.6	53 (N/A)	2.8 4.84
American sycamore	10.3	1.6	4.6	0.5	54	19.9	2.9	2.8	18.9	124	0.0	0	61.3	177 (N/A)	2.5 17.73
Red maple	0.6	0.1	0.3	0.0	3	3.0	0.4	0.4	2.9	19	-0.2	-1	7.5	21 (N/A)	1.8 3.01
Northern red oak	2.6	0.4	1.3	0.1	14	6.4	0.9	0.9	6.1	40	-3.7	-14	15.0	40 (N/A)	1.8 5.73
Pear	0.4	0.1	0.2	0.0	2	2.8	0.4	0.4	2.5	17	0.0	0	6.8	19 (N/A)	1.5 3.21
White ash	1.2	0.2	0.7	0.1	7	6.5	1.0	0.9	6.3	41	0.0	0	16.8	48 (N/A)	1.5 7.95
Boxelder	1.7	0.3	0.8	0.1	9	6.4	0.9	0.9	6.0	40	-0.7	-3	16.3	46 (N/A)	1.5 7.64
Eastern redbud	1.3	0.2	0.6	0.1	7	3.1	0.4	0.4	2.8	19	0.0	0	9.0	26 (N/A)	1.3 5.17
Chinese elm	3.0	0.5	1.4	0.1	16	8.1	1.2	1.1	7.6	50	0.0	0	22.9	66 (N/A)	1.3 13.18
Spruce	0.6	0.1	0.5	0.1	4	2.0	0.3	0.3	2.0	13	-1.8	-7	4.1	10 (N/A)	1.0 2.48
Conifer Evergreen Large	0.7	0.1	0.6	0.1	5	2.4	0.4	0.3	2.3	15	-2.2	-8	4.7	11 (N/A)	1.0 2.82
American basswood	2.5	0.4	1.2	0.1	13	6.6	1.0	0.9	6.2	41	-2.0	-8	16.8	47 (N/A)	1.0 11.64
Pin oak	0.8	0.1	0.4	0.0	4	2.8	0.4	0.4	2.7	17	-1.5	-5	6.1	16 (N/A)	1.0 4.02
Ginkgo	0.0	0.0	0.0	0.0	0	0.5	0.1	0.1	0.5	3	0.0	0	1.2	3 (N/A)	0.8 1.13
Kentucky coffeetree	0.8	0.1	0.4	0.0	4	2.3	0.3	0.3	2.2	14	0.0	0	6.5	19 (N/A)	0.8 6.26
Ohio buckeye	1.6	0.3	0.8	0.1	8	4.0	0.6	0.5	3.7	25	-0.4	-1	11.1	32 (N/A)	0.8 10.55
Bur oak	1.2	0.2	0.6	0.1	6	3.0	0.4	0.4	2.8	19	0.0	0	8.7	25 (N/A)	0.8 8.34
Honeylocust	2.0	0.3	0.9	0.1	11	4.7	0.7	0.6	4.4	29	-1.5	-6	12.3	34 (N/A)	0.8 11.36
Eastern red cedar	1.0	0.2	0.8	0.1	7	1.6	0.2	0.2	1.5	10	-2.7	-10	3.1	7 (N/A)	0.8 2.19
Broadleaf Deciduous Large	0.5	0.1	0.3	0.0	3	2.5	0.4	0.4	2.4	16	0.0	0	6.6	19 (N/A)	0.5 9.34
Conifer Evergreen Small	0.0	0.0	0.0	0.0	0	0.2	0.0	0.0	0.1	1	-0.2	-1	0.2	0 (N/A)	0.5 0.20
Swamp white oak	0.3	0.0	0.2	0.0	2	1.6	0.2	0.2	1.5	10	-0.1	0	4.0	11 (N/A)	0.5 5.69
Callery pear	0.2	0.0	0.1	0.0	1	1.1	0.2	0.2	1.1	7	-0.1	0	2.9	8 (N/A)	0.5 4.03
Eastern white pine	1.1	0.2	0.9	0.1	7	1.8	0.3	0.2	1.7	11	-5.7	-21	0.6	-3 (N/A)	0.5 -1.58
Cottonwood	1.9	0.3	0.8	0.1	10	3.6	0.5	0.5	3.4	22	0.0	0	11.0	32 (N/A)	0.5 15.94

Ogden

Annual Air Quality Benefits of Public Trees 2/11/2022

		D	eposition	(lb)	Total Avoided (lb)					Total	BVOC	BVOC	Total	Total Standard	% of Total	% of Total Avg.	
Species	О3	NO ₂	PM ₁₀	so 2	Depos. (\$)	NO ₂	PM ₁₀	VOC	so ₂	Avoided En (\$)	Emissions (lb)	Emissions (\$)	(lb)	(\$) Error		\$/tree	
Tulip tree	0.3	0.0	0.1	0.0	1	1.3	0.2	0.2	1.2	8	0.0	0	3.3	9 (N/A)	0.3	9.34	
Northern catalpa	0.1	0.0	0.1	0.0	1	1.1	0.2	0.2	1.1	7	0.0	0	2.6	7 (N/A)	0.3	7.42	
Broadleaf Deciduous Medium	0.1	0.0	0.0	0.0	0	0.5	0.1	0.1	0.5	3	0.0	0	1.2	3 (N/A)	0.3	3.47	
Southern magnolia	0.0	0.0	0.0	0.0	0	0.4	0.1	0.1	0.4	3	-0.2	-1	0.8	2 (N/A)	0.3	2.10	
Mulberry	0.4	0.1	0.2	0.0	2	1.0	0.1	0.1	0.9	6	0.0	0	2.9	8 (N/A)	0.3	8.35	
Scotch pine	0.6	0.1	0.4	0.1	4	0.9	0.1	0.1	0.8	5	-2.9	-11	0.3	-2 (N/A)	0.3	-1.58	
American elm	0.5	0.1	0.3	0.0	3	1.8	0.3	0.3	1.7	11	0.0	0	4.9	14 (N/A)	0.3	14.10	
Catalpa	0.3	0.0	0.1	0.0	1	1.3	0.2	0.2	1.2	8	0.0	0	3.3	9 (N/A)	0.3	9.34	
Northern pin oak	0.9	0.1	0.4	0.0	5	1.6	0.2	0.2	1.5	10	-0.2	-1	4.7	14 (N/A)	0.3	13.58	
Oak	0.1	0.0	0.1	0.0	1	1.1	0.2	0.2	1.1	7	0.0	0	2.6	7 (N/A)	0.3	7.42	
Siberian elm	0.3	0.0	0.1	0.0	1	1.3	0.2	0.2	1.2	8	0.0	0	3.3	9 (N/A)	0.3	9.47	
Citywide total	193.8	32.7	96.3	9.2	1,049	482.3	70.2	66.9	457.3	3,003	-83.7	-314	1,325.0	3,738 (N/A)	100.0	9.44	

Table 4: Annual Carbon Stored





Ogden

Stored CO2 Benefits of Public Trees

2/11/2022

	Total Stored	Total	Standard	% of Total	% of	Avg.
Species	CO2 (lbs)	(\$)	Error	Trees	Total \$	\$/tree
Silver maple	1,579,022	11,843	(N/A)	20.5	35.1	146.21
Green ash	668,800		(N/A)	13.4	14.9	94.64
Norway maple	295,967		(N/A)	8.8	6.6	63.42
Black walnut	303,891	2,279	(N/A)	6.3	6.8	91.17
Northern hackberry	209,934	1,575	(N/A)	4.5	4.7	87.47
Conifer Evergreen Mo	31	0	(N/A)	3.5	0.0	0.02
Blue spruce	22,334	168	(N/A)	3.3	0.5	12.88
Black maple	86,004	645	(N/A)	3.3	1.9	49.62
Littleleaf linden	136,119	1,021	(N/A)	3.0	3.0	85.07
Sugar maple	131,884	989	(N/A)	3.0	2.9	82.43
Apple	29,279	220	(N/A)	2.8	0.7	19.96
American sycamore	345,877	2,594	(N/A)	2.5	7.7	259.41
Red maple	7,178	54	(N/A)	1.8	0.2	7.69
Northern red oak	54,116	406	(N/A)	1.8	1.2	57.98
Pear	7,577	57	(N/A)	1.5	0.2	9.47
White ash	31,114	233	(N/A)	1.5	0.7	38.89
Boxelder	49,685	373	(N/A)	1.5	1.1	62.11
Eastern redbud	20,420		(N/A)	1.3	0.5	30.63
Chinese elm	97,890	734	(N/A)	1.3	2.2	146.83
Spruce	3,767	28	(N/A)	1.0	0.1	7.06
Conifer Evergreen La	4,681	35	(N/A)	1.0	0.1	8.78
American basswood	90,094		(N/A)	1.0	2.0	168.93
Pin oak	18,859		(N/A)	1.0	0.4	35.36
Ginkgo	629		(N/A)	0.8	0.0	1.57
Kentucky coffeetree	26,990		(N/A)	0.8	0.6	67.47
Ohio buckeye	25,850		(N/A)	0.8	0.6	64.62
Bur oak	41,328		(N/A)	0.8	0.9	103.32
Honeylocust	25,730		(N/A)	0.8	0.6	64.33
Eastern red cedar	3,306	25	(N/A)	0.8	0.1	8.27
Broadleaf Deciduous	16,915		(N/A)	0.5	0.4	63.43
Conifer Evergreen Sn	86		(N/A)	0.5	0.0	0.32
Swamp white oak	4,725		(N/A)	0.5	0.1	17.72
Callery pear	3,641		(N/A)	0.5	0.1	13.65
Eastern white pine	14,981		(N/A)	0.5	0.3	56.18
Cottonwood	64,440		(N/A)	0.5	1.4	241.65
Tulip tree	8,458		(N/A)	0.3	0.2	63.43
Northern catalpa	3,672		(N/A)	0.3	0.1	27.54
Broadleaf Deciduous	1,101	8	(N/A)	0.3	0.0	8.26
Southern magnolia	484		(N/A)	0.3	0.0	3.63
Mulberry	6,743		(N/A)	0.3	0.0	50.57
Scotch pine	7,490		(N/A)	0.3	0.2	56.18
American elm	12,245		(N/A)	0.3	0.2	91.84
Catalpa	8,458		(N/A)	0.3	0.3	63.43
Northern pin oak	14,280		(N/A)	0.3	0.2	107.10
Oak	3,672		(N/A)	0.3	0.3	27.54
Siberian elm	6,743	51		0.3	0.1	50.57
Citywide total	4,496,488	33,724	(N/A)	100.0	100.0	85.16

Table 5: Annual Carbon Sequestered





Ogden

Annual CO Benefits of Public Trees

2/11/2022

Species	Sequestered (lb)	Sequestered (\$)	Decomposition Release (lb)	Maintenance Release (lb)	Total Released (\$)	Avoided (lb)	Avoided (\$)	Net Total (lb)	Total Standard (\$) Error	% of Total Trees	% of Total \$	Avg. \$/tree
Silver maple	115,526	866	-7,581	-303	-59	45,549	342	153,191	1,149 (N/A)	20.5	37.6	14.18
Green ash	34,614	260	-3,210	-156	-25	25,029	188	56,277	422 (N/A)	13.4	13.8	7.96
Norway maple	11,851	89	-1,421	-96	-11	15,046	113	25,381	190 (N/A)	8.8	6.2	5.44
Black walnut	17,979	135	-1,459	-76	-12	12,278	92	28,722	215 (N/A)	6.3	7.0	8.62
Northern hackberry	9,738	73	-1,008	-69	-8	11,725	88	20,386	153 (N/A)	4.5	5.0	8.49
Conifer Evergreen Medium		0	0	-3	0	146	1	167	1 (N/A)	3.5	0.0	0.09
Blue spruce	1,345	10	-107	-27	-1	2,584	19	3,795	28 (N/A)	3.3	0.9	2.19
Black maple	4,703	35	-413	-32	-3	6,016	45	10,274	77 (N/A)	3.3	2.5	5.93
Littleleaf linden	8,934	67	-653	-38	-5	5,103	38	13,345	100 (N/A)	3.0	3.3	8.34
Sugar maple	7,066	53	-633	-34	-5	5,259	39	11,657	87 (N/A)	3.0	2.9	7.29
Apple	2,492	19	-141	-18	-1	2,406	18	4,739	36 (N/A)	2.8	1.2	3.23
American sycamore	8,775	66	-1,660	-48	-13	6,987	52	14,054	105 (N/A)	2.5	3.4	10.54
Red maple	1,023	8	-35	-6	0	1,062	8	2,044	15 (N/A)	1.8	0.5	2.19
Northern red oak	1,701	13	-260	-17	-2	2,252	17	3,677	28 (N/A)	1.8	0.9	3.94
Pear	837	6	-36	-8	0	929	7	1,722	13 (N/A)	1.5	0.4	2.15
White ash	3,393	25	-149	-12	-1	2,315	17	5,546	42 (N/A)	1.5	1.4	6.93
Boxelder	4,234	32	-238	-16	-2	2,233	17	6,213	47 (N/A)	1.5	1.5	7.77
Eastern redbud	1,482	11	-98	-9	-1	1,047	8	2,422	18 (N/A)	1.3	0.6	3.63
Chinese elm	4,048	30	-470	-18	-4	2,819	21	6,379	48 (N/A)	1.3	1.6	9.57
Spruce	399	3	-18	-7	0	744	6	1,118	8 (N/A)	1.0	0.3	2.10
Conifer Evergreen Large	462	3	-22	-8	0	866	6	1,298	10 (N/A)	1.0	0.3	2.43
American basswood	5,019	38	-432	-16	-3	2,288	17	6,858	51 (N/A)	1.0	1.7	12.86
Pin oak	1,986	15	-91	-6	-1	988	7	2,877	22 (N/A)	1.0	0.7	5.39
Ginkgo	90	1	-3	-2	0	182	1	267	2 (N/A)	0.8	0.1	0.67
Kentucky coffeetree	1,171	9	-130	-6	-1	813	6	1,849	14 (N/A)	0.8	0.5	4.62
Ohio buckeye	1,226	9	-124	-8	-1	1,374	10	2,467	19 (N/A)	0.8	0.6	6.17
Bur oak	1,330	10	-198	-7	-2	1,052	8	2,176	16 (N/A)	0.8	0.5	5.44
Honeylocust	1,873	14	-124	-8	-1	1,645	12	3,386	25 (N/A)	0.8	0.8	8.47
Eastern red cedar	43	0	-16	-6	0	561	4	582	4 (N/A)	0.8	0.1	1.45
Broadleaf Deciduous Larg	1,319	10	-81	-5	-1	883	7	2,115	16 (N/A)	0.5	0.5	7.93
Conifer Evergreen Small	27	0	0	-1	0	53	0	78	1 (N/A)	0.5	0.0	0.29
Swamp white oak	610	5	-23	-3	0	571	4	1,155	9 (N/A)	0.5	0.3	4.33

1

Annual CO Benefits of Public Trees

2/11/2022

	Sequestered	Sequestered	Decomposition	Maintenance	Total	Avoided	Avoided	Net Total	Total Standard	% of Total	% of	Avg.
Species	(lb)	(\$)	Release (lb)	Release (lb)	Released (\$)	(lb)	(\$)	(lb)	(\$) Error	Trees	Total \$	\$/tree
Callery pear	391	3	-18	-2	0	402	3	774	6 (N/A)	0.5	0.2	2.90
Eastern white pine	512	4	-72	-7	-1	622	5	1,055	8 (N/A)	0.5	0.3	3.96
Cottonwood	1,139	9	-309	-9	-2	1,254	9	2,075	16 (N/A)	0.5	0.5	7.78
Tulip tree	660	5	-41	-3	0	441	3	1,058	8 (N/A)	0.3	0.3	7.93
Northern catalpa	445	3	-18	-2	0	393	3	819	6 (N/A)	0.3	0.2	6.14
Broadleaf Deciduous Medi	224	2	-5	-1	0	176	1	393	3 (N/A)	0.3	0.1	2.95
Southern magnolia	56	0	-2	-1	0	141	1	194	1 (N/A)	0.3	0.0	1.45
Mulberry	478	4	-32	-3	0	335	3	778	6 (N/A)	0.3	0.2	5.84
Scotch pine	0	0	-36	-4	0	311	2	271	2 (N/A)	0.3	0.1	2.03
American elm	454	3	-59	-4	0	632	5	1,023	8 (N/A)	0.3	0.3	7.68
Catalpa	660	5	-41	-3	0	441	3	1,058	8 (N/A)	0.3	0.3	7.93
Northern pin oak	0	0	-69	-4	-1	539	4	466	3 (N/A)	0.3	0.1	3.49
Oak	445	3	-18	-2	0	393	3	819	6 (N/A)	0.3	0.2	6.14
Siberian elm	485	4	-32	-3	0	447	3	897	7 (N/A)	0.3	0.2	6.73
Citywide total	261,268	1,960	-21,585	-1,118	-170	169,330	1,270	407,895	3,059 (N/A)	100.0	100.0	7.73

Table 6: Annual Social and Aesthetic Benefits





Annual Aesthetic/Other Benefits of Public Trees

2/11/2022

Species	Total (\$)	Standard	% of Total Trees	% of Total \$	Avg. \$/tree
Silver maple		(N/A)	20.5	39.3	109.59
Green ash		(N/A)	13.4	12.8	54.53
Norway maple		(N/A)	8.8	5.0	31.97
Black walnut		(N/A)	6.3	6.5	59.18
Northern hackberry		(N/A)	4.5	5.2	65.46
Conifer Evergreen Medium		(N/A)	3.5	0.3	5.03
Blue spruce		(N/A)	3.3	1.2	20.67
Black maple		(N/A)	3.3	2.6	45.45
Littleleaf linden		(N/A)	3.0	3.9	73.88
Sugar maple		(N/A)	3.0	3.3	61.52
Apple		(N/A)	2.8	0.6	13.20
American sycamore		(N/A)	2.5	2.6	58.57
Red maple		(N/A)	1.8	0.7	23.25
Northern red oak		(N/A)	1.8	0.6	18.35
Pear		(N/A)	1.5	0.2	7.92
White ash		(N/A)	1.5	1.9	72.44
Boxelder		(N/A)	1.5	1.4	51.89
Eastern redbud		(N/A)	1.3	0.4	17.70
Chinese elm		(N/A)	1.3	1.4	61.18
Spruce		(N/A)	1.0	0.5	28.09
Conifer Evergreen Large		(N/A)	1.0	0.6	32.32
American basswood		(N/A)	1.0	1.6	88.03
Pin oak		(N/A)	1.0	0.7	41.36
Ginkgo		(N/A)	0.8	0.1	4.10
Kentucky coffeetree		(N/A)	0.8	0.4	33.47
Ohio buckeye		(N/A)	0.8	0.5	37.89
Bur oak		(N/A)	0.8	0.5	38.48
Honeylocust		(N/A)	0.8	1.7	129.74
Eastern red cedar	14	` /	0.8	0.1	4.56
Broadleaf Deciduous Large		(N/A)	0.5	0.5	57.69
Conifer Evergreen Small		(N/A)	0.5	0.1	13.37
Swamp white oak		(N/A)	0.5	0.3	32.69
Callery pear		(N/A)	0.5	0.2	20.95
Eastern white pine		(N/A)	0.5	0.2	26.25
Cottonwood		(N/A)	0.5	0.4	43.13
Tulip tree		(N/A)	0.3	0.3	57.69
Northern catalpa	46	(N/A)	0.3	0.2	45.86
Broadleaf Deciduous Medium		(N/A)	0.3	0.1	26.22
Southern magnolia		(N/A)	0.3	0.1	21.93
Mulberry	29	(N/A)	0.3	0.1	28.80
Scotch pine		(N/A)	0.3	0.0	0.00
American elm	64	(N/A)	0.3	0.3	64.36
Catalpa	58	(N/A)	0.3	0.3	57.69
Northern pin oak	0	(N/A)	0.3	0.0	0.00
Oak	46	(N/A)	0.3	0.2	45.86
Siberian elm	40	(N/A)	0.3	0.2	39.94
Citywide total	22,589	(N/A)	100.0	100.0	57.04

1

Table 7: Summary of Benefits in Dollars





Total Annual Benefits, Net Benefits, and Costs for Public Trees

2/11/2022

Benefits	Total (\$) Standard Error	\$/tree Standard Error	\$/capita Standard Error
Energy	21,279 (N/A)	53.74 (N/A)	0.00 (N/A)
CO2	3,059 (N/A)	7.73 (N/A)	0.00(N/A)
Air Quality	3,738 (N/A)	9.44 (N/A)	0.00 (N/A)
Stormwater	32,278 (N/A)	81.51 (N/A)	0.00 (N/A)
Aesthetic/Other	22,589 (N/A)	57.04 (N/A)	0.00(N/A)
Total Benefits	82,944 (N/A)	209.45 (N/A)	0.00 (N/A)
Costs			
Planting	0	0.00	0.00
Contract Pruning	0	0.00	0.00
Pest Management	0	0.00	0.00
Irrigation	0	0.00	0.00
Removal	0	0.00	0.00
Administration	0	0.00	0.00
Inspection/Service	0	0.00	0.00
Infrastructure Repairs	0	0.00	0.00
Litter Clean-up	0	0.00	0.00
Liability/Claims	0	0.00	0.00
Other Costs	0	0.00	0.00
Total Costs	0	0.00	0.00
Net Benefits	82,944 (N/A)	209.45 (N/A)	0.00 (N/A)
Benefit-cost ratio	0.00 (N/A)		

1


Figure 1: Species Distribution





Species Distribution of Public Trees

2/11/2022



Species	Percent
Silver maple	20.5
Green ash	13.4
Norway maple	8.8
Black walnut	6.3
Northern hackberry	4.5
Conifer Evergreen Medium	3.5
Blue spruce	3.3
Black maple	3.3
Littleleaf linden	3.0
Sugar maple	3.0
Other Species	30.3
Total	100.0


Figure 2: Relative Age Class





Relative Age Distribution of Top 10 Public Tree Species for All Zones (%)

2/11/2022




				DBH class	(in)				
Species	0-3	3-6	6-12	12-18	18-24	24-30	30-36	36-42	> 42
Silver maple	0.00	2.47	2.47	6.17	23.46	19.75	19.75	16.05	9.88
Green ash	0.00	0.00	9.43	18.87	30.19	28.30	7.55	1.89	3.77
Norway maple	0.00	0.00	14.29	20.00	28.57	25.71	8.57	2.86	0.00
Black walnut	0.00	0.00	0.00	12.00	48.00	32.00	4.00	4.00	0.00
Northern hackberry	5.56	0.00	0.00	0.00	5.56	33.33	44.44	5.56	5.56
Conifer Evergreen Mediı	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Blue spruce	0.00	15.38	0.00	46.15	30.77	7.69	0.00	0.00	0.00
Black maple	0.00	0.00	0.00	30.77	23.08	30.77	7.69	7.69	0.00
Littleleaf linden	0.00	0.00	0.00	8.33	41.67	33.33	8.33	0.00	8.33
Sugar maple	0.00	0.00	25.00	8.33	8.33	41.67	16.67	0.00	0.00
Citywide Total	6.06	2.53	9.34	15.40	25.00	19.70	11.87	6.31	3.79

1

Figure 3: Foliage Condition

Foliage Condition




■ Good ■ Fair ■ Poor ■ Dead or Dying





Figure 4: Wood Condition

Wood Condition



■ Good ■ Fair ■ Poor ■ Dead or Dying






Figure 5: Canopy Cover in Acres





Canopy Cover of Public Trees (Acres)


2/11/2022



Zone	Acres	% of Total Canopy Cover
1	4	34.2
3	3	22.4
4	3	23.4
2	2	16.3
0	0	3.6
Citywide total	12	100.0

	Total Land Area	Total Street and Sidewalk Area	Total Canopy Cover	Canopy Cover as % of Total Land Area	Canopy Cover as % of Total Streets and Sidewalks
Citywide Total	0	0	12	0.00	0.00

Figure 6: Land Use of City/Park Trees







APPENDIX B: ArcGIS MAPPING

Figure 1: Location of Ash Trees

Figure 2: Location of EAB Symptoms


Figure 3: Location of Poor Condition Trees

Figure 4: Location of Trees with Recommended Maintenance

City ownership of the trees recommended for removal should be verified prior to any removal









Ash Tree Location








Poor Condition Trees

0 500 1,000 2,000 Feet





APPENDIX C: OGDEN TREE ORDINANCES

CHAPTER 151

TREES AND GRASS

151.01 DEFINITION.

For use in this chapter, "boulevard" means that part of the street, avenue or highway in the City not covered by sidewalk and lying between the lot line and the curb line; or, on unpaved streets, that part of the street, avenue or highway lying between the lot line and that portion of the street usually traveled by vehicular traffic.

151.02 PLANTING RESTRICTIONS.

No tree shall be planted in any boulevard or street except in accordance with the following:

- 1. Alignment. All tress planted in any street shall be planted in the boulevard midway between the outer line of the sidewalk and the curb. In the event a curb line is not established, trees shall be planted on a line ten (10) feet from the property line.
- 2. Spacing. Trees shall not be planted on any boulevard which is less than nine (9) feet in width, or contains less than eighty-one (81) square feet of exposed soil surface per tree. Trees shall not be planted closer than twenty (20) feet from street intersections (property lines extended) and ten (10) feet from driveways. If it is at all possible trees should be planted inside the property lines and not between the sidewalk and the curb.
- 3. Prohibited Trees. No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

151.03 DUTY TO TRIM TREES.

The owner or agent of the abutting property shall keep the trees on, or overhanging the street, trimmed so that all branches will be at least eighteen (18) feet above the surface of a street, twenty (20) feet above the surface of a primary highway, and eight (8) feet above the sidewalks. If the abutting property owner fails to trim the trees, the City may serve notice on the abutting property owner requiring that such action be taken within five (5) days. If such action is not taken within that time, the City may perform the required action and assess the costs against the abutting property for collection in the same manner as a property tax.

(Code of Iowa, Sec. 364.12[2c, d, & e])

151.04 TRIMMING TREES TO BE SUPERVISED.

Except as allowed in Section 151.03, it is unlawful for any person to trim or cut any tree in a street or public place unless the work is done under the supervision of the City.





151.05 DISEASE CONTROL.

Any dead, diseased or damaged tree or shrub which may harbor serious insect or disease pests or disease injurious to other trees is hereby declared to be a nuisance.

151.06 INSPECTION AND REMOVAL.

The Council shall inspect or cause to be inspected any trees or shrubs in the City reported or suspected to be infected with or damaged by any disease or insect or disease pests, and such trees and shrubs shall be subject to removal as follows:

- 1. City Property. If it is determined that any such condition exists on any public property, including the strip between the curb and the lot line of private property, the Council may cause such condition to be corrected by treatment or removal. The Council may also order the removal of any trees on the streets of the City which interfere with the making of improvements or with travel thereon.
- 2. Private Property. If it is determined with reasonable certainty that any such condition exists on private property and that the danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property.

151.07 CUTTING OR MOWING OF GRASS.

- 1. Duty to Cut and Mow Lawns and Lots. The owner of any property shall cut and mow all lawns and lots so that such growth shall be less than four (4) inches at all times.
- 2. Cutting and Mowing by City. If a property owner refuses or fails to cut and mow lawns and lots within forty-eight (48) hours after being delivered a notice from the City to perform such action, the Council may require said work to be done and the cost and expenses thereof shall be assessed to the property owner after due notice is given. The amount of such assessment shall be certified to the County Auditor as provided by law and the same shall be collected with and in the same manner as general property taxes.





The State of Iowa is an Equal Opportunity Employer and provider of ADA services.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the lowa Civil Rights Commission, 1-800-457-4416, or write to the lowa Department of Natural Resources, Wallace State Office Bldg., 502 E 9th St, Des Moines IA 50319.

If you need accommodations because of disability to access the services of this Agency, please contact the Director at 515-725-8200.



