



STATE OF IOWA FALCONRY PERMIT APPLICATION
RAPTOR FACILITIES AND EQUIPMENT INSPECTION REPORT

APPLICANT INFORMATION

Full Name: Phone #:
Address:
City/State/Zip: County:
Email:

FACILITY LOCATION

Address:
City/State/Zip: County:
Address:
City/State/Zip: County:
Address:
City/State/Zip: County:

Part I Facilities

A. Mews (Indoor Facility)

- 1. Space to allow easy access and maintenance
2. Space to allow raptor(s) to fully extend wings
3. At least one window provided
4. Each window with vertical bars/rods on inside
5. At least one secure door - can be easily closed
6. Other doors, if any, serve to protect facility
7. Floor surface dry or well drained - can be easily cleaned
8. One perch of an acceptable design for each raptor

B. Weathering Area

- 1. Space to allow tethered raptor(s) to bate (attempted flight) without striking wings on side or top of facility
2. Sides of facility fenced with suitable material to exclude predators
3. Top of facility covered with netting, wire, or roofed to exclude predators; - OR - Top of facility open provided weathering perch(es) are greater than 6 1/2 feet in height

C. Environmental Protection

- The facilities, singly or in combination, provide adequate protection to the raptor(s) from:
1. Excessive heat
2. High winds and winter storms
3. Avian and ground predators
4. Disturbance which would likely cause injury

Part II Equipment

A. Raptor Equipment

- 1. One pair of Alymeri (style) jesses for each raptor. (An Alymeri jess consists of an anklet, grommet, and a removable strap for attaching the anklet and grommet to the swivel.) Yes No
- 2. One swivel of an acceptable design for each raptor. (Dogleash/fishing snap-swivels, and swivels with soft copper/aluminum rivets are rarely acceptable, except for use on kestrels,) Yes No
- 3. One leash of quality leather or synthetic material for each raptor Yes No

B. Required Ancillary Equipment

- 1. One bath, container, 2 to 6 inches deep and wider than length of the raptor for each bird Yes No
- 2. One outdoor perch of an acceptable design for **each raptor** Yes No
- 3. A reliable weighing scale or balance graduated in increments of not more than 1/2 ounce (15. grams) Yes No

Part III Certification

- APPROVED - Facilities and equipment meet Federal/State Standards
- PROVISIONAL APPROVAL - Except as indicated below, facilities and equipment meet Federal/State Standards. Applicant agrees to correct all deficiencies within 30 days.
- NOT APPROVED - Facilities and equipment fail to meet Federal/State Standards.

DEFICIENCIES

APPLICANT

I agree to correct deficiencies, if any, within 30 days and to maintain facilities/ equipment at or above Federal/State Standards.

Signature: _____

CERTIFYING OFFICER

Name: _____ Title: _____

Agency: _____ Signature: _____