

2014 Urban Forest Management Plan

Farmersburg, Iowa

Prepared by: Richard Kittelson
Bureau of Forestry, Iowa DNR & Northeast Iowa RC&D
Regional Forestry Outreach Coordinator, Certified Arborist
PO Box 916, Postville, Iowa 52162
563-864-7112
www.northeastiowarcd.org



3
Table of Contents

| | |
|--|-----------|
| Executive Summary | 4 |
| Overview | 4 |
| Inventory and Results | 4 |
| Recommendations | 4 |
| Inventory Results | 5 |
| Annual Benefits | 5 |
| Annual Energy Benefits | 5 |
| Annual Stormwater Benefits | 5 |
| Annual Air Quality Benefits..... | 5 |
| Annual Carbon Benefits..... | 5 |
| Annual Aesthetics Benefits..... | 5 |
| Financial Summary of all Benefits..... | 5 |
| Forest Structure | 6 |
| Species Distribution | 6 |
| Age Class | 7 |
| Condition: Wood and Foliage..... | 7 |
| Management Needs..... | 8 |
| Canopy Cover | 8 |
| Land Use and Location..... | 8 |
| Recommendations | 8 |
| Risk Management | 8 |
| Pruning Cycle | 9 |
| Planting | 9 |
| Continual Monitoring | 9 |
| Proposed Six Year Maintenance Plan | 10 |
| Emerald Ash Borer | 11 |
| Ash Tree Removal..... | 11 |
| Treatment of Ash Trees..... | 11 |
| EAB Quarantines | 11 |
| Wood Disposal | 11 |
| Canopy Replacement | 11 |
| Postponed Work..... | 11 |
| Monitoring..... | 12 |
| Private Ash Trees | 12 |
| Budget | 12 |
| Works Cited | 13 |
| Appendix A: i-Tree Data | 14 |
| Appendix B: ArcGIS Mapping | 20 |
| Appendix C: Suitable Shade Tree Lists | 25 |

Community Tree Inventory

Farmersburg, Iowa

Summary

This plan was developed to assist the City of Farmersburg with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows communities to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (does not include mountain ash). There is a strong possibility that 14% of Farmersburg's city owned trees (ash) will die once EAB becomes established in the community. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory & Results

In 2014, a tree inventory was conducted using Global Positioning System (GPS) data collectors. --The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. The inventory was a complete inventory of street and park trees. Below are some key findings of the **86 trees inventoried**.

Inventory Overview

- ◆ Farmersburg's trees provide \$17,295 of benefits annually, an average of \$201 a tree
- ◆ There are over 13 species of trees
- ◆ The top three genus are: Maple 62.8%, Ash 14%, Walnut 8.1%
- ◆ 46.51% of trees are in need of some type of management
- ◆ 0 trees are recommended for removal.

General Recommendations

The following are key recommendations from the inventory:

- ◆ Currently none of the 12 public ash trees are displaying signs and symptoms associated with EAB.
- ◆ All trees should be pruned on a routine schedule - one third of the city every other year.
- ◆ Plant a diverse mix of trees that does NOT include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- ◆ Check ash trees with a visual survey yearly

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: **location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition.** Additionally, signs and symptoms of EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

Detailed Inventory Results

The data collected for the 86 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management (STRATUM), part of the i-Tree suite. The following are results from the i-Tree STRATUM analysis.

Annual Benefits

1. Annual Energy Benefits: Trees conserve energy by shading buildings and blocking winds. Farmersburg's trees reduce energy related costs by approximately \$4,183.67 annually. These savings are both in Electricity (20.09 MWh) and in Natural Gas (2,173.23 Therms).

2. Annual Stormwater Benefits: Farmersburg's trees intercept about 250,380.82 gallons of rainfall or snowmelt a year. This interception provides \$6,785.32 of benefits to the city.

3. Annual Air Quality Benefits: Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Farmersburg, it is estimated that trees remove 263.64 lbs of air pollution (ozone (O₃), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO₂), and sulfur dioxide (SO₂)) per year with a net value of \$737.44.

4. Annual Carbon Benefits: Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Farmersburg trees sequester about 84,940.21 lbs of carbon dioxide (CO₂) a year with an associated value of \$637.05. In addition, the trees store 1,044,885.97 lbs of carbon, with a yearly benefit of \$7,836.64.

5. Annual Aesthetics Benefits: Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Farmersburg receives \$4,951.77 in annual social benefits from trees.

Financial Summary of all Benefits: According to the USDA Forest Service i-Tree STRATUM analysis, Farmersburg's trees provide **\$17,295.26 of benefits annually**. Benefits of individual trees vary based on size, species, health and location, but **on average each of the 86 trees in Farmersburg provide approximately \$201 annually**.

Table 1: Annual Benefits of Public Trees

| Benefits | Per Tree | Cumulative |
|-------------------|-----------------|--------------------|
| Energy | \$48.65 | \$4,183.6 |
| CO ₂ | \$7.41 | \$637.05 |
| Air Quality | \$8.57 | \$737.44 |
| Stormwater | \$78.90 | \$6,785.32 |
| Aesthetic/Other | \$57.58 | \$4,951.77 |
| Total (\$) | \$201.11 | \$17,295.26 |

Community Tree Inventory

Farmersburg, Iowa

Forest Structure

1. Species & Genus Distribution: Farmersburg has 13 different tree species along city streets and parks. The following figures and tables show the distribution of the 8 genus and the ten most common species. It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest.

Figure 1: Common Tree Genus by Percentage





Table 2: Tree Genus

| Genus | No. of Trees |
|--------------|--------------|
| Maple | 54 |
| Ash | 12 |
| Black Walnut | 7 |
| Spruce | 5 |
| Oak | 3 |
| Honeylocust | 3 |
| Apple | 1 |
| Lilac | 1 |

Figure 2: Common Tree Species by Percentage



2. Age Class: Farmersburg has a good balance of age classes. For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. Farmersburg's size curve is on the smaller size, indicating a younger than average stand. However, the most abundant genus, maple, is older than average.

Figure 3: Age Distribution of Top 10 Public Tree Species (by Percentage)




Table 3: Relative Age Distribution

| Species | 0 - 3 | 3 - 6 | 6 - 12 | 12 - 18 | 18 - 24 | 24 - 30 | 30 - 36 | 36 - 42 | >42 |
|------------------|-------|-------|--------|---------|---------|---------|---------|---------|-------|
| Sugar maple | 14.29 | 19.05 | 19.05 | 0.00 | 4.76 | 19.05 | 9.52 | 4.76 | 9.52 |
| Silver maple | 0.00 | 25.00 | 0.00 | 0.00 | 0.00 | 12.50 | 0.00 | 18.75 | 43.75 |
| Norway maple | 0.00 | 10.00 | 0.00 | 10.00 | 30.00 | 20.00 | 20.00 | 10.00 | 0.00 |
| Green ash | 0.00 | 40.00 | 10.00 | 50.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Black walnut | 0.00 | 0.00 | 0.00 | 14.29 | 42.86 | 42.86 | 0.00 | 0.00 | 0.00 |
| Black maple | 0.00 | 0.00 | 14.29 | 28.57 | 0.00 | 14.29 | 28.57 | 14.29 | 0.00 |
| Norway spruce | 0.00 | 0.00 | 0.00 | 40.00 | 40.00 | 20.00 | 0.00 | 0.00 | 0.00 |
| Honeylocust | 66.67 | 0.00 | 0.00 | 0.00 | 33.33 | 0.00 | 0.00 | 0.00 | 0.00 |
| White ash | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 50.00 | 50.00 | 0.00 | 0.00 |
| Northern red oak | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 | 0.00 | 0.00 | 0.00 |
| Citywide Total | 6.98 | 15.12 | 6.98 | 13.95 | 11.63 | 18.60 | 8.14 | 6.98 | 11.63 |

3. Condition:- Wood and Foliage: Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Farmersburg indicate that 100% of the trees are in fair-good health, with none of the foliage in poor health, dead or dying. Similarly, 95.3% of Farmersburg's trees are in fair-good health for wood condition. Wood condition that is in poor health, dead or dying is about 4.7% of the population. This 4.7% is an estimate of trees that need management follow up soon.

Community Tree Inventory

Farmersburg, Iowa

4. Management Needs: The following management needs for Farmersburg’s urban trees are outlined in Table 4. The table outlines the specific management needs of the street and park trees by number of trees and percent of the canopy.

- ◆ Crown cleaning removes dead, diseased, and damaged limbs.
- ◆ Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles.
- ◆ Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years.
- ◆ Tree staking includes staking, training, mulching, etc.

Table 4: Management Needs

| Technique | No of Trees | Percentage |
|-----------------|-------------|------------|
| Crown Cleaning | 15 | 17.44% |
| Crown Raising | 2 | 2.33% |
| Tree Staking | 5 | 15.81% |
| Tree Removal | 0 | 0% |
| Crown Reduction | 18 | 20.93% |

Table 5: Land Use

| | |
|-----------------------------|--------|
| Single Family Residential | 75.58% |
| Park/Vacant/Other | 24.42% |
| Industrial/Large Commercial | 0% |
| Small Commercial | 0% |
| Multifamily Residential | 0% |

Table 6: Location Type

| | |
|----------------------------------|--------|
| Planting Strip | 63.95% |
| Other Maintained Location (Park) | 24.42% |
| Front Yard | 11.63% |
| Cutout (Surrounded by Pavement) | 0% |

5. Canopy Cover: Farmersburg occupies 257 acres. The total tree canopy with both private and public trees is approximately 26 acres, about 10%. The Canopy cover included in the Farmersburg inventory includes approximately 2.44 acres.

6. Land Use and Location: The majority of Farmersburg’s city and park trees are in planting strips in single family residential neighborhoods. Table 5 & Table 6 describe the land use and locations for the street and park trees.

Recommendations

1. Risk Management: Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist’s vision of pedestrians, vehicles, traffic signs and signals, etc. should be removed.

2. Hazardous Trees: Farmersburg has 0 trees that need immediate removal. Please refer to the *Six Year Maintenance Plan* at the end of this section. There should be follow up on the trees marked as needing maintenance that do not include trimming. There are a total of 40 tree with these needs.

3. Poor Tree Species: The 4 trees in poor health (1 walnut and 3 Norway maple) should be assessed for removal (Appendix B, Image 3 & Image 4). There are a total of 12 ash trees, and currently none of those have signs and symptoms that have been associated with EAB. *City ownership of the trees recommended for removal should be verified prior to any removal.

4. Pruning Cycle: Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the *Six-Year Maintenance Plan* for further information.

5. Planting: Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Farmersburg.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Maple (62.8%). Maple should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. **All trees planted must meet the restrictions in the city tree ordinance.**

The importance of species diversity was brought to the forefront with the loss of the American elm from Dutch elm disease. When one genus (Maple) makes up a majority of the species (Norway Maple, Silver Maple, Sugar Maple) in a planting it is an unbalanced population. These unbalanced populations leave the population open to destruction from diseases and pests. Unfortunately, the lessons of the American elm are only recently being heeded. Communities typically replaced lost elms with a small but reliable selection of ash and Norway and silver maple. This left cities in the predicament they are finding themselves in now as they stand to lose a large percentage of their ash trees to the emerald ash borer.

6. Continual Monitoring: It is important to continuously check the health of all trees. Due to the imminent threat of Emerald Ash Borer to ash trees, it is recommended that trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage. For a list of forest health threats, please visit the Iowa DNR's website at <http://www.iowadnr.gov/Environment/Forestry/ForestHealth>

Community Tree Inventory

Farmersburg, Iowa

Six Year Maintenance Plan with No Additional Funding

Year 1: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees to be planted in open locations

Visual Survey for signs and symptoms of EAB

Year 2: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees in open locations from year one removals

Routine pruning: 1/3 of trees (27)

Visual Survey for signs and symptoms of EAB

Year 3: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees to be planted in open locations

Visual Survey for signs and symptoms of EAB

Year 4: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees to be planted in open locations

Routine pruning: 1/3 of trees (27)

Visual Survey for signs and symptoms of EAB

Year 5: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees to be planted in open locations

Visual Survey for signs and symptoms of EAB

Year 6: Removal: 2 ash or saving for ash tree treatment

Planting and Replacement: 3 trees in open locations from previous removals

Routine pruning: 1/3 of trees (27)

Visual Survey for signs and symptoms of EAB

Reduction of ash over 6 years: 12 ash trees removed (100% of ash). EAB could potentially kill all ash within 4 years of its arrival. ** To remove all ash trees within 6 years, and do nothing else, the budget would need to be \$1,400 a year.

Emerald Ash Borer Plan

1. Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first. Next will be all ash in poor condition and displaying signs and symptoms of EAB. ***City ownership of the tree recommended for removal should be verified prior to any removal.**

2. Treatment of Ash Trees

All 12 of Farmersburg's ash trees were rated in good condition. **Healthy and well-formed** trees are candidates for preventive treatment. Chemical treatment can be effective, spreading removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit <http://extension.entm.purdue.edu/treecomputer/>



Emerald Ash Borer Beetle next to D-shaped exit holes.

3. EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of over 25 million ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- ◆ nursery stock and green lumber of ash
- ◆ any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

4. Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees. Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website http://www.aphis.usda.gov/plant_health/plant_pest_info/emerald_ash_b/regulatory.shtml.

5. Canopy Replacement

As budget permits, all removed ash trees will be replaced. All trees will meet the restrictions in the city ordinance. The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

6. Postponed Work

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genus other than ash will be prioritized by hazardous or emergency situations only.

Community Tree Inventory

Farmersburg, Iowa

7. Monitoring (repeated)

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy die-back, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

8. Private Ash Trees

It is strongly recommended that private property owners start removing ash trees or treating healthy trees they desire to preserve on their property upon arrival of EAB or confirmed within 15 miles. Refer to City Ordinance for more information on private trees.

Proposed Budget

Total \$11,850 over 6 years (\$1,975/year)

FY 2015 Budget

Removal @ \$700/tree: \$1,400 *Or saving for ash tree treatment

Planting @ \$100/tree: \$300

Watering & Maintenance @ \$50/tree: \$150

FY 2016 Budget

Removal: \$1,400 *Or saving for ash tree treatment

Planting: \$300

Contract 1/3 trimming: \$150

Watering & Maintenance: \$245

FY 2017 Budget

Removal: \$1,400 *Or saving for ash tree treatment

Planting: \$300

Watering & Maintenance: \$150

FY 2018 Budget

Removal: \$1,400 *Or saving for ash tree treatment

Planting: \$300

Contract 1/3 trimming: \$150

Watering & Maintenance: \$245

FY 2019 Budget

Removal: \$1,400 *Or saving for ash tree treatment

Planting: \$300

Watering & Maintenance: \$150

FY 2020 Budget

Removal: \$1,400 *Or saving for ash tree treatment

Planting: \$300

Contract 1/3 trimming: \$150

Watering & Maintenance: \$245

*Reduction of ash over 6 years: 12 ash trees removed (100% of ash). EAB could potentially kill all ash trees in Farmersburg within 4 years of its arrival.

Proposed Budget Increase

To remove all ash trees within 6 years, and do nothing else, the budget would need to be \$1,400 a year. Additionally, it is recommended that Farmersburg apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Works Cited

Census Bureau. 2010. <http://censtats.census.gov/data/IA/1601964290.pdf> (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, D.J. and J.F. Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

Appendix A: i-Tree Data

Table 1: Annual Energy Benefits

| Annual Energy Benefits of Public Trees by Species | | | | | | | | |
|---|-------------------------|------------------|----------------------------|------------------|-----------------|------------------|---------------|--------------|
| Species | Total Electricity (MWh) | Electricity (\$) | Total Natural Gas (Therms) | Natural Gas (\$) | Total (\$) | % of Total Trees | % of Total \$ | Avg. \$/tree |
| Sugar maple | 4.16 | 315.85 | 563.83 | 552.56 | 868.41 | 24.42 | 20.76 | 41.35 |
| Silver maple | 5.15 | 390.63 | 687.19 | 673.44 | 1,064.07 | 18.60 | 25.43 | 66.50 |
| Norway maple | 2.67 | 202.38 | 391.46 | 383.63 | 586.01 | 11.63 | 14.01 | 58.60 |
| Green ash | 1.38 | 104.87 | 163.44 | 160.18 | 265.05 | 11.63 | 6.34 | 26.50 |
| Black walnut | 2.01 | 152.66 | 281.90 | 276.26 | 428.92 | 8.14 | 10.25 | 61.27 |
| Black maple | 1.76 | 133.72 | 236.22 | 231.49 | 365.21 | 8.14 | 8.73 | 52.17 |
| Norway spruce | 0.74 | 55.96 | 93.29 | 91.43 | 147.39 | 5.81 | 3.52 | 29.48 |
| Honeylocust | 0.32 | 24.30 | 44.73 | 43.83 | 68.14 | 3.49 | 1.63 | 22.71 |
| White ash | 0.95 | 71.96 | 116.62 | 114.29 | 186.25 | 2.33 | 4.45 | 93.12 |
| Northern red oak | 0.52 | 39.11 | 72.80 | 71.34 | 110.45 | 2.33 | 2.64 | 55.22 |
| Apple | 0.00 | 0.25 | 0.62 | 0.61 | 0.87 | 1.16 | 0.02 | 0.87 |
| Lilac | 0.20 | 15.15 | 31.62 | 30.99 | 46.14 | 1.16 | 1.10 | 46.14 |
| Swamp white oak | 0.24 | 17.87 | 29.49 | 28.90 | 46.78 | 1.16 | 1.12 | 46.78 |
| Total | 20.09 | 1,524.71 | 2,713.23 | 2,658.96 | 4,183.67 | 100.00 | 100.00 | 48.65 |

Table 2: Annual Stormwater Benefits

| Annual Stormwater Benefits of Public Trees by Species | | | | | | |
|---|-----------------------------------|-----------------|------------------|---------------|--------------|--|
| Species | Total Rainfall Interception (Gal) | Total (\$) | % of Total Trees | % of Total \$ | Avg. \$/tree | |
| Sugar maple | 52,337.08 | 1,418.33 | 24.42 | 20.90 | 67.54 | |
| Silver maple | 86,825.32 | 2,352.97 | 18.60 | 34.68 | 147.06 | |
| Norway maple | 27,831.37 | 754.23 | 11.63 | 11.12 | 75.42 | |
| Green ash | 8,622.12 | 233.66 | 11.63 | 3.44 | 23.37 | |
| Black walnut | 21,066.46 | 570.90 | 8.14 | 8.41 | 81.56 | |
| Black maple | 15,300.95 | 414.66 | 8.14 | 6.11 | 59.24 | |
| Norway spruce | 13,620.26 | 369.11 | 5.81 | 5.44 | 73.82 | |
| Honeylocust | 2,944.09 | 79.78 | 3.49 | 1.18 | 26.59 | |
| White ash | 13,182.00 | 357.23 | 2.33 | 5.26 | 178.62 | |
| Northern red oak | 6,060.58 | 164.24 | 2.33 | 2.42 | 82.12 | |
| Apple | 7.45 | 0.20 | 1.16 | 0.00 | 0.20 | |
| Lilac | 1,174.03 | 31.82 | 1.16 | 0.47 | 31.82 | |
| Swamp white oak | 1,409.09 | 38.19 | 1.16 | 0.56 | 38.19 | |
| Citywide total | 250,380.82 | 6,785.32 | 100.00 | 100.00 | 78.90 | |

Table 3: Annual Air Quality Benefits & Table 4: Annual Carbon Sequestered

| Annual Air Quality Benefits of Public Trees by Species | | | | | | | | | | | | | | | | |
|--|------------|----------|-----------|----------|-----------------|----------|-----------|----------|----------|--------------|----------------|----------------|-----------------|------------|------------------|--------------|
| Species | Deposition | | | Total | | | Avoided | | | BVOC | | | % of Total Avg. | | | |
| | O3 (lb) | NO2 (lb) | PM10 (lb) | SO2 (lb) | Deposition (\$) | NO2 (lb) | PM10 (lb) | VOC (lb) | SO2 (lb) | Avoided (\$) | Emissions (lb) | Emissions (\$) | Total (lb) | Total (\$) | % of Total Trees | Avg. \$/tree |
| Sugar maple | 8.12 | 1.38 | 3.91 | 0.36 | 43.58 | 19.79 | 2.89 | 2.75 | 18.84 | 123.42 | - 6.32 | - 23.68 | 51.72 | 143.32 | 24.42 | 6.82 |
| Silver maple | 17.56 | 2.98 | 8.38 | 0.78 | 94.01 | 24.35 | 3.56 | 3.40 | 23.28 | 152.13 | - 9.46 | - 35.49 | 74.82 | 210.64 | 18.60 | 13.17 |
| Norway maple | 6.02 | 1.04 | 2.91 | 0.27 | 32.39 | 12.99 | 1.87 | 1.78 | 12.10 | 80.30 | - 1.38 | - 5.18 | 37.59 | 107.51 | 11.63 | 10.75 |
| Green ash | 0.58 | 0.09 | 0.37 | 0.03 | 3.35 | 6.36 | 0.94 | 0.90 | 6.26 | 40.23 | 0.00 | 0.00 | 15.54 | 43.58 | 11.63 | 4.36 |
| Black walnut | 2.39 | 0.38 | 1.18 | 0.11 | 12.82 | 9.66 | 1.40 | 1.34 | 9.12 | 60.05 | 0.00 | 0.00 | 25.57 | 72.87 | 8.14 | 10.41 |
| Black maple | 3.72 | 0.63 | 1.73 | 0.16 | 19.78 | 8.36 | 1.22 | 1.16 | 7.98 | 52.19 | - 1.24 | - 4.66 | 23.72 | 67.31 | 8.14 | 9.62 |
| Norway spruce | 1.60 | 0.32 | 1.30 | 0.20 | 10.48 | 3.44 | 0.51 | 0.48 | 3.34 | 21.63 | - 6.71 | - 25.16 | 4.47 | 6.96 | 5.81 | 1.39 |
| Honeylocust | 0.55 | 0.09 | 0.26 | 0.02 | 2.91 | 1.53 | 0.22 | 0.21 | 1.45 | 9.54 | - 0.38 | - 1.43 | 3.96 | 11.02 | 3.49 | 3.67 |
| White ash | 2.85 | 0.46 | 1.25 | 0.13 | 14.86 | 4.40 | 0.65 | 0.62 | 4.29 | 27.71 | 0.00 | 0.00 | 14.65 | 42.57 | 2.33 | 21.29 |
| Northern red oak | 1.35 | 0.23 | 0.64 | 0.06 | 7.21 | 2.48 | 0.36 | 0.34 | 2.33 | 15.38 | - 1.95 | - 7.30 | 5.84 | 15.30 | 2.33 | 7.65 |
| Apple | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.02 | 0.00 | 0.00 | 0.02 | 0.11 | 0.00 | 0.00 | 0.04 | 0.11 | 1.16 | 0.11 |
| Lilac | 0.43 | 0.07 | 0.20 | 0.02 | 2.28 | 0.99 | 0.14 | 0.13 | 0.90 | 6.07 | 0.00 | - 0.01 | 2.89 | 8.35 | 1.16 | 8.35 |
| Swamp white oak | 0.22 | 0.04 | 0.12 | 0.01 | 1.21 | 1.10 | 0.16 | 0.16 | 1.07 | 6.93 | - 0.06 | - 0.22 | 2.81 | 7.92 | 1.16 | 7.92 |
| Citywide Total | 45.38 | 7.71 | 22.24 | 2.14 | 244.90 | 95.48 | 13.93 | 13.29 | 90.98 | 595.68 | - 27.50 | - 103.14 | 263.64 | 737.44 | 100.00 | 8.57 |

| Annual CO2 Benefits of Public Trees by Species | | | | | | | | | | | | | | |
|--|-------------|--------|---------------|----------|----------------|-----------|---------------|-----------|---------|--------|-----------|-------|-----------------|------------------|
| Species | Sequestered | | Decomposition | | Maint. Release | | Total Release | | Avoided | | Net Total | | % of Total Avg. | |
| | (lb) | (\$) | Release (lb) | (\$) | (lb) | (\$) | (lb) | (\$) | (lb) | (\$) | (lb) | (\$) | Total (\$) | Total % of Trees |
| Sugar maple | 10,842.37 | 81.32 | - 1,172.81 | - 49.73 | - 0.37 | 6,980.24 | 52.35 | 16,600.07 | 124.50 | 24.42 | 19.54 | 5.93 | | |
| Silver maple | 27,974.34 | 209.81 | - 2,208.87 | - 65.52 | - 0.49 | 8,632.72 | 64.75 | 34,332.68 | 257.50 | 18.60 | 40.42 | 16.09 | | |
| Norway maple | 2,631.39 | 19.74 | - 476.28 | - 30.62 | - 0.23 | 4,472.54 | 33.54 | 6,597.04 | 49.48 | 11.63 | 7.77 | 4.95 | | |
| Green ash | 2,732.20 | 20.49 | - 96.65 | - 13.26 | - 0.10 | 2,317.67 | 17.38 | 4,939.95 | 37.05 | 11.63 | 5.82 | 3.70 | | |
| Black walnut | 4,995.03 | 37.46 | - 366.54 | - 20.67 | - 0.16 | 3,373.80 | 25.30 | 7,981.62 | 59.86 | 8.14 | 9.40 | 8.55 | | |
| Black maple | 1,131.67 | 8.49 | - 192.62 | - 15.99 | - 0.12 | 2,955.11 | 22.16 | 3,878.16 | 29.09 | 8.14 | 4.57 | 4.16 | | |
| Norway spruce | 861.90 | 6.46 | - 79.28 | - 12.87 | - 0.10 | 1,236.71 | 9.28 | 2,006.46 | 15.05 | 5.81 | 2.36 | 3.01 | | |
| Honeylocust | 957.79 | 7.18 | - 32.59 | - 3.12 | - 0.02 | 537.11 | 4.03 | 1,459.19 | 10.94 | 3.49 | 1.72 | 3.65 | | |
| White ash | 3,237.69 | 24.28 | - 200.24 | - 7.80 | - 0.06 | 1,590.24 | 11.93 | 4,619.89 | 34.65 | 2.33 | 5.44 | 17.32 | | |
| Northern red oak | 739.76 | 5.55 | - 146.29 | - 7.02 | - 0.05 | 864.21 | 6.48 | 1,450.65 | 10.88 | 2.33 | 1.71 | 5.44 | | |
| Apple | 8.68 | 0.07 | - 0.11 | - 0.20 | 0.00 | 5.61 | 0.04 | 13.99 | 0.10 | 1.16 | 0.02 | 0.10 | | |
| Lilac | 0.00 | 0.00 | - 32.37 | - 3.51 | - 0.03 | 334.78 | 2.51 | 298.90 | 2.24 | 1.16 | 0.35 | 2.24 | | |
| Swamp white oak | 385.95 | 2.89 | - 17.40 | - 1.95 | - 0.01 | 395.01 | 2.96 | 761.61 | 5.71 | 1.16 | 0.90 | 5.71 | | |
| Citywide Total | 56,498.77 | 423.74 | - 5,022.04 | - 232.25 | - 1.74 | 33,695.73 | 252.72 | 84,940.21 | 637.05 | 100.00 | 100.00 | 7.41 | | |

Table 5: Annual Carbon Stored

| Stored CO2 Benefits of Public Trees by Species | | | | | |
|--|------------------------|------------|------------------|---------------|--------------|
| Species | Total stored CO2 (lbs) | Total (\$) | % of Total Trees | % of Total \$ | Avg. \$/tree |
| Sugar maple | 243,719.06 | 1,827.89 | 24.42 | 23.32 | 87.04 |
| Silver maple | 459,597.86 | 3,446.98 | 18.60 | 43.99 | 215.44 |
| Norway maple | 99,079.22 | 743.09 | 11.63 | 9.48 | 74.31 |
| Green ash | 20,135.53 | 151.02 | 11.63 | 1.93 | 15.10 |
| Black walnut | 76,363.16 | 572.72 | 8.14 | 7.31 | 81.82 |
| Black maple | 40,130.13 | 300.98 | 8.14 | 3.84 | 43.00 |
| Norway spruce | 16,516.25 | 123.87 | 5.81 | 1.58 | 24.77 |
| Honeylocust | 6,770.28 | 50.78 | 3.49 | 0.65 | 16.93 |
| White ash | 41,715.92 | 312.87 | 2.33 | 3.99 | 156.43 |
| Northern red oak | 30,477.89 | 228.58 | 2.33 | 2.92 | 114.29 |
| Apple | 13.78 | 0.10 | 1.16 | 0.00 | 0.10 |
| Lilac | 6,742.71 | 50.57 | 1.16 | 0.65 | 50.57 |
| Swamp white oak | 3,624.16 | 27.18 | 1.16 | 0.35 | 27.18 |
| Citywide total | 1,044,885.97 | 7,836.64 | 100.00 | 100.00 | 91.12 |

Table 6: Annual Social and Aesthetic Benefits

| Annual Aesthetic/Other Benefit of Public Trees by Species | | | | |
|---|------------|------------------|---------------|--------------|
| Species | Total (\$) | % of Total Trees | % of Total \$ | Avg. \$/tree |
| Sugar maple | 1,063.15 | 24.42 | 21.47 | 50.63 |
| Silver maple | 1,972.16 | 18.60 | 39.83 | 123.26 |
| Norway maple | 244.13 | 11.63 | 4.93 | 24.41 |
| Green ash | 316.77 | 11.63 | 6.40 | 31.68 |
| Black walnut | 415.69 | 8.14 | 8.39 | 59.38 |
| Black maple | 161.62 | 8.14 | 3.26 | 23.09 |
| Norway spruce | 185.05 | 5.81 | 3.74 | 37.01 |
| Honeylocust | 195.37 | 3.49 | 3.95 | 65.12 |
| White ash | 310.95 | 2.33 | 6.28 | 155.48 |
| Northern red oak | 47.69 | 2.33 | 0.96 | 23.84 |
| Apple | 0.03 | 1.16 | 0.00 | 0.03 |
| Lilac | 0.00 | 1.16 | 0.00 | 0.00 |
| Swamp white oak | 39.16 | 1.16 | 0.79 | 39.16 |
| Citywide Total | 4,951.77 | 100.00 | 100.00 | 57.58 |

Table 7: Summary of Benefits in Dollars

| Average Annual Benefits of Public Trees by Species (\$/tree) | | | | | | |
|--|--------|-------|-------------|------------|-----------------|--------|
| Species | Energy | CO2 | Air Quality | Stormwater | Aesthetic/Other | Total |
| Sugar maple | 41.35 | 5.93 | 6.82 | 67.54 | 50.63 | 172.27 |
| Silver maple | 66.50 | 16.09 | 13.17 | 147.06 | 123.26 | 366.08 |
| Norway maple | 58.60 | 4.95 | 10.75 | 75.42 | 24.41 | 174.14 |
| Green ash | 26.50 | 3.70 | 4.36 | 23.37 | 31.68 | 89.61 |
| Black walnut | 61.27 | 8.55 | 10.41 | 81.56 | 59.38 | 221.18 |
| Black maple | 52.17 | 4.16 | 9.62 | 59.24 | 23.09 | 148.27 |
| Norway spruce | 29.48 | 3.01 | 1.39 | 73.82 | 37.01 | 144.71 |
| Honeylocust | 22.71 | 3.65 | 3.67 | 26.59 | 65.12 | 121.75 |
| White ash | 93.12 | 17.32 | 21.29 | 178.62 | 155.48 | 465.83 |
| Northern red oak | 55.22 | 5.44 | 7.65 | 82.12 | 23.84 | 174.28 |
| Apple | 0.87 | 0.10 | 0.11 | 0.20 | 0.03 | 1.31 |
| Lilac | 46.14 | 2.24 | 8.35 | 31.82 | 0.00 | 88.55 |
| Swamp white oak | 46.78 | 5.71 | 7.92 | 38.19 | 39.16 | 137.75 |
| Citywide Total | 48.65 | 7.41 | 8.57 | 78.90 | 57.58 | 201.11 |

Figure 1: Species Distribution




Figure 2: Relative Age Class

Relative Age Distribution of Top 10 Public Tree Species (%)




Table 8: Relative Age Class

| Species | 0 - 3 | 3 - 6 | 6 - 12 | 12 - 18 | 18 - 24 | 24 - 30 | 30 - 36 | 36 - 42 | > 42 |
|------------------|-------|-------|--------|---------|---------|---------|---------|---------|-------|
| Sugar maple | 14.29 | 19.05 | 19.05 | 0.00 | 4.76 | 19.05 | 9.52 | 4.76 | 9.52 |
| Silver maple | 0.00 | 25.00 | 0.00 | 0.00 | 0.00 | 12.50 | 0.00 | 18.75 | 43.75 |
| Norway maple | 0.00 | 10.00 | 0.00 | 10.00 | 30.00 | 20.00 | 20.00 | 10.00 | 0.00 |
| Green ash | 0.00 | 40.00 | 10.00 | 50.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Black walnut | 0.00 | 0.00 | 0.00 | 14.29 | 42.86 | 42.86 | 0.00 | 0.00 | 0.00 |
| Black maple | 0.00 | 0.00 | 14.29 | 28.57 | 0.00 | 14.29 | 28.57 | 14.29 | 0.00 |
| Norway spruce | 0.00 | 0.00 | 0.00 | 40.00 | 40.00 | 20.00 | 0.00 | 0.00 | 0.00 |
| Honeylocust | 66.67 | 0.00 | 0.00 | 0.00 | 33.33 | 0.00 | 0.00 | 0.00 | 0.00 |
| White ash | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 50.00 | 50.00 | 0.00 | 0.00 |
| Northern red oak | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 | 0.00 | 0.00 | 0.00 |
| Citywide Total | 6.98 | 15.12 | 6.98 | 13.95 | 11.63 | 18.60 | 8.14 | 6.98 | 11.63 |

Figure 3: Foliage Condition

Functional (Foliage) Condition of Public Trees

Dead or Dying Poor Fair Good




Figure 4: Wood Condition

Structural (Woody) Condition of Public Trees

Dead or Dying Poor Fair Good




Figure 5: Land Use of City/Park Trees





Figure 6: Location of City/Park Trees




Appendix B: ArcGIS Mapping

Image 1: Location of Ash Trees

Image 2: Location of Trees with Recommended Maintenance

Image 3: Maintenance Tasks

Image 4: Good Condition Ash Trees



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, and Northeast Iowa RC&D

Image 1. Location of Ash Trees

Legend

| | | | |
|--|-----------|---|-----------|
|  | Green ash |  | Ash |
|  | White ash |  | Black ash |


Farmersburg, Iowa

0 0.02 0.04 0.08 Miles

N



Map created by Northeast Iowa RC&D
11/13/2014




Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, and Northeast Iowa RC&D

Image 2. Location of Trees with Recommended Maintenance

Farmersburg, Iowa

| | | | | |
|---|---|---|--|---|
| <p>Legend</p> <ul style="list-style-type: none">  Critical Concern | <ul style="list-style-type: none">  Mature Tree Immediate | <ul style="list-style-type: none">  Mature Tree Routine | <ul style="list-style-type: none">  Young Tree Immediate | <ul style="list-style-type: none">  Young Tree Routine <div style="text-align: right; margin-top: 10px;">  <p>Map created by Northeast Iowa RC&D 11/13/2014</p> </div> |
|---|---|---|--|---|



Source: Esri, DigitalGlobe, GeoEye, Ikonos, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, and Northeast Iowa RC&D

Image 3. Location of Maintenance Tasks

Farmersburg, Iowa


Legend

- Clean
- Raise
- Reduce
- Remove*
- Stake/Train
- Treat pest/disease

*City owned trees recommended for removal should be verified prior to any removal



Map created by Northeast Iowa RC&D
11/20/2014



Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, and Northeast Iowa RC&D

Location of Good Condition Ash Trees

(Wood and Leaves are in Good Condition, Trees Show No Symptoms of EAB, and No Wires are Conflicting)

| Legend | |
|---|-----------|
|  | Green ash |
|  | Ash |
|  | White ash |
|  | Black ash |

Farmersburg, Iowa



Map created by Northeast Iowa RC&D
12/3/2014

Appendix C: Suitable Shade Tree Lists

Shade Trees for Iowa

This document lists several shade tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will “work” in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. *A healthy and diverse tree population is the best defense against current and future tree pests.*

| <u>Deciduous Shade Trees</u> | <u>Height/Width</u> | <u>Growth Habit</u> |
|---|---------------------|-----------------------------|
| Alder | | |
| <u>Manchurian alder</u> – <i>Alnus hirsuta</i> 'Harbin' (Prairie Horizon [®]) | 40'/30' | Upright |
| Amur maackia – <i>Maackia amurensis</i> | 25'/25' | Upright-spreading |
| Baldcypresses | | |
| <u>Baldcypress</u> – <i>Taxodium distichum</i> 'Mickelson' (Shawnee Brave [®]) 'JFS-SGPN' (Green Whisper [™]) | 55'/20' 55'/30' | Narrow-pyramid Pyramidal |
| Birches | | |
| <u>Asian white birch</u> – <i>Betula platyphylla</i> 'VerDale' (Prairie Vision [®]) | 35'/30' | Upright-oval |
| <u>Gray birch</u> – <i>Betula populifolia</i> 'Whitespire Sr.' | 40'/25' | Pyramidal-oval |
| <u>Hybrid birch</u> – <i>Betula</i> × 'Penci-2' (Royal Frost [®]) | 40'/25' | Pyramidal |
| <u>River birch</u> – <i>Betula nigra</i> 'Cully' (Heritage [®]) | 45'/30' | Oval |
| <u>Whitebarked Himalayan birch</u> – <i>Betula utilis</i> 'Madison' (White Satin [™]) | 35'/20' | Broadly-pyramidal |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|--|---------------------|---------------------|
| Coffeetree | | |
| <u>Kentucky coffeetree</u> – <i>Gymnocladus dioica</i> | | |
| 'Espresso' | 50'/35' | Oval |
| Cork trees | | |
| <u>Cork tree</u> – <i>Phellodendron</i> species | | |
| 'Longenecker' (Eye Stopper [™]) | 40'/35' | Rounded |
| 'His Majesty' | 40'/35' | Vase-shaped |
| Elms | | |
| <u>American elm</u> – <i>Ulmus americana</i> | | |
| 'Jefferson' | 70'/50' | Vase-shaped |
| 'Princeton' | 60'/40' | Vase-shaped |
| 'Lewis & Clark' (Prairie Expedition [™]) | 60'/50' | Umbrella-shaped |
| 'New Harmony' | 70'/70' | Vase-shaped |
| 'Valley Forge' | 70'/70' | Vase-shaped |
| <u>Asian Elm Cultivars and Hybrids</u> | | |
| 'Morton' (Accolade [™]) | 70'/60' | Vase-shaped |
| 'Morton Glossy' (Triumph [™]) | 55'/45' | Vase-shaped |
| 'New Horizon' | 55'/40' | Upright-oval |
| 'Prospector' | 40'/30' | Vase-shaped |
| 'Discovery' | 50'/40' | Vase-shaped |
| <u>European and Eurasian Hybrid Elm Cultivars</u> | | |
| 'Patriot' | 50'/40' | Stiff vase-shaped |
| Filbert | | |
| Turkish filbert – <i>Corylus colurna</i> | 40'/30' | Pyramidal |
| Ginkgoes | | |
| <u>Ginkgo</u> – <i>Ginkgo biloba</i> | | |
| 'Autumn Gold' | 45'/35' | Broadly-pyramidal |
| 'Halka' | 45'/40' | Oval |
| 'Magyar' | 60'/40' | Upright-oval |
| 'PNI 2720' (Princeton Sentry [®]) | 40'/15' | Narrow-pyramidal |
| 'JFS-UGA2' (Golden Colonnade [®]) | 45'/25' | Narrow-oval |
| 'The President' (Presidential Gold [®]) | 50'/40' | Broadly-pyramidal |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|---|---------------------|---------------------|
| Hackberries | | |
| <u>Hackberry</u> – <i>Celtis occidentalis</i> | | |
| 'JFS-KSU1' (Prairie Sentinel [™]) | 45'/12' | Columnar |
| 'Chicagoland' | 50'/40' | Broadly-pyramidal |
| 'Prairie Pride' | 50'/40' | Oval |
| Honeylocusts | | |
| <u>Honeylocust</u> – <i>Gleditsia triacanthos</i> var. <i>inermis</i> | | |
| 'Draves' (Street Keeper [™]) | 45'/20' | Narrow-upright |
| 'Harve' (Northern Acclaim [™]) | 45'/35' | Upright-spreading |
| 'Skycole' (Skyline [®]) | 50'/35' | Pyramidal |
| Hornbeams | | |
| <u>European hornbeam</u> – <i>Carpinus betulus</i> | | |
| 'JFS-KW1CB' (Emerald Avenue [®]) | 40'/30' | Broadly-pyramidal |
| 'Windy City' | 45'/40' | Upright-spreading |
| Hophornbeam | | |
| American hophornbeam – <i>Ostrya virginiana</i> | | |
| | 40'/25' | Upright-oval |
| Horsechestnuts | | |
| <u>Common horsechestnut</u> – <i>Aesculus hippocastanum</i> | | |
| 'Baumannii' | 50'/40' | Broadly-oval |
| <u>Red horsechestnut</u> – <i>Aesculus</i> × <i>carnea</i> | | |
| 'Briotii' | 30'/35' | Round |
| 'Fort McNair' | 30'/30' | Round |
| Lindens | | |
| <u>American linden</u> – <i>Tilia americana</i> | | |
| 'Boulevard' | 60'/30' | Pyramidal |
| 'Continental Appeal' | 50'/30' | Narrow-oval |
| 'Wandell' (Legend [®]) | 40'/30' | Broad-pyramidal |
| 'McKSentry' (American Sentry [®]) | 45'/30' | Pyramidal |
| 'Lincoln' | 35'/25' | Pyramidal |
| 'Redmond' | 50'/35' | Pyramidal |
| <u>Hybrid Linden</u> – <i>Tilia</i> × <i>flavescens</i> (<i>americana</i> × <i>cordata</i>) | | |
| 'Glenleven' | 50'/30' | Pyramidal |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|--|---------------------|---------------------|
| <u>Littleleaf linden</u> – <i>Tilia cordata</i> | | |
| 'Baileyi' (Shamrock [®]) | 40'/30' | Pyramidal |
| 'Corzam' (Corinthian [®]) | 45'/15' | Narrow-pyramid |
| 'Ronald' (Norlin [™]) | 40'/30' | Pyramidal |
| <u>Mongolian linden</u> – <i>Tilia mongolica</i> | | |
| 'Harvest Gold' | 30-40'/25-30' | Upright-oval |
| <u>Silver linden</u> – <i>Tilia tomentosa</i> | | |
| 'PNI 6051' (Green Mountain [®]) | 45'/35' | Broad-pyramidal |
| 'Sterling' | 45'/35' | Broad-pyramidal |
| Magnolias | | |
| Cucumbertree – <i>Magnolia acuminata</i> | 50-80'/40-60' | Upright-oval |
| Maples | | |
| <u>Black maple</u> – <i>Acer nigrum</i> | | |
| | 60'/60' | Round-spreading |
| <u>Freeman maple</u> – <i>Acer × freemanii</i> | | |
| 'Jeffersred' (Autumn Blaze [®]) | 50'/45' | Broadly-oval |
| 'DTR 102' (Autumn Fantasy [®]) | 40'/30' | Broadly-oval |
| 'Marmo' | 50'/30' | Upright-oval |
| 'Bailston' (Matador [™]) | 40'/30' | Upright-oval |
| 'Morgan' ('Indian Summer') | 45'/40' | Rounded |
| 'Sienna' (Sienna Glen [®]) | 45'/35' | Pyramidal |
| 'UMNAF#1' (Firefall [™]) | 50'/30' | Upright-oval |
| <u>Hybrid maple</u> – <i>Acer truncatum</i> × <i>platanoides</i> | | |
| 'Warrenred' (Pacific Sunset [®]) | 30'/25' | Upright-spreading |
| 'JFS-KW202' (Crimson Sunset [™]) | 35'/25' | Upright-oval |
| <u>Miyabe maple</u> – <i>Acer miyabei</i> | | |
| 'Morton' (State Street [™]) | 45'/30' | Upright-oval |
| 'JFS-KW3AMI' (Rugged Ridge [™]) | 55'/40' | Upright-oval |
| <u>Norway maple</u> – <i>Acer platanoides</i> | | |
| 'Columnarbroad' (Parkway [®]) | 40'/25' | Oval |
| 'Deborah' | 45'/40' | Rounded |
| 'Emerald Queen' | 50'/40' | Oval-upright |
| 'Ezestre' (Easy Street [™]) | 40'/20' | Narrow-pyramidal |
| 'Fairview' | 45'/35' | Upright-oval |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|--|---------------------|---------------------|
| 'Pond' (Emerald Lustre [™]) | 45'/40' | Rounded |
| 'Princeton Gold' | 35'/30' | Oval |
| <u>Red maple – <i>Acer rubrum</i></u> | | |
| 'Bailcraig' (Scarlet Jewell [™]) | 50'/30' | Upright |
| 'Franksred' (Red Sunset [®]) | 45'/35' | Upright-oval |
| 'Magnificent Magenta' (Burgundy Belle [®]) | 50'/40' | Oval |
| 'Frank Jr.' (Redpointe [™]) | 45'/30' | Pyramidal |
| 'New World' | 40'/20' | Narrow-oval |
| 'Polara' (Rubyfrost [™]) | 45'/40' | Broadly-oval |
| 'Somerset' | 45'/35' | Broadly-oval |
| <u>Sugar maple – <i>Acer saccharum</i></u> | | |
| 'Autumn Splendor' | 45'/40' | Broadly-oval |
| 'JFS-KW8' (Autumn Fest [™]) | 50'/35' | Upright-oval |
| 'JFS-Caddo2' (Flashfire [™]) | 45'/40' | Broadly-oval |
| 'Bailsta' (Fall Fiesta [™]) | 50'/50' | Upright-rounded |
| 'Commemoration' | 50'/35' | Oval-rounded |
| 'Endowment' | 50'/20' | Columnar |
| 'Legacy' | 50'/35' | Oval |
| 'Morton' (Crescendo [™]) | 40'/30' | Broadly-oval |
| 'Green Mountain' | 45'/35' | Broadly-oval |
| Planetrees | | |
| <u>London planetree – <i>Platanus × acerifolia</i></u> | | |
| 'Bloodgood' | 50'/40' | Broadly-pyramidal |
| 'Morton Circle' (Exclamation [™]) | 55'/35' | Upright-pyramidal |
| Oaks | | |
| <u>Bur oak – <i>Quercus macrocarpa</i></u> | | |
| 'JFS-KW3' (Urban Pinnacle [™]) | 50-80'/40-80' | Spreading |
| | 55'/25' | Narrow-pyramidal |
| <u>Chinkapin oak – <i>Quercus muehlenbergii</i></u> | | |
| | 45'/45' | Round |
| <u>English/white oak – <i>Quercus bimundorum</i></u> | | |
| 'Crimschmidt' (Crimson Spire [™]) | 45'/15' | Columnar |
| 'Midwest' (Prairie Stature [™]) | 50'/40' | Broadly-pyramidal |
| <u>Hybrid oak – <i>Quercus</i> ×</u> | | |
| 'Clemons' (Heritage [®]) | 40-50'/40-50' | Broadly-pyramidal |
| 'Long' (Regal Prince [®]) | 45'/18' | Narrow-oval |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|--|---------------------|---------------------|
| Red oak – <i>Quercus rubra</i> | 60-75'/60' | Spreading |
| Shingle oak – <i>Quercus imbricaria</i> | 50'/40' | Broadly-oval |
| Swamp white oak – <i>Quercus bicolor</i> | 60'/60' | Round |
| White oak – <i>Quercus alba</i> | 50-70'/40-80' | Spreading |
| Sweetgums | | |
| <u>Sweetgum – <i>Liquidambar styraciflua</i></u> | | |
| 'Clydesform' (Emerald Sentinel®) | 30'/12' | Narrow-pyramid |
| 'Moraine' | 40'/25' | Pyramidal |

Compiled by Jeff Iles, Department of Horticulture, Iowa State University
10-January-2013

Small-stature Trees for Iowa

This document lists several small-stature tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will “work” in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. *A healthy and diverse tree population is the best defense against current and future tree pests.*

| <u>Deciduous Small-stature Trees</u> | <u>Height/Width</u> | <u>Growth Habit</u> |
|---|---------------------|---------------------|
| Amur maackia – <i>Maackia amurensis</i> | 20'/20' | Upright-spreading |
| Cherries | | |
| <u>Sargent cherry</u> – <i>Prunus sargentii</i> | | |
| 'JFS-KW58' (Pink Flair [®]) | 25'/15' | Upright |
| 'Hokkaido Normandale' (Spring Wonder [™]) | 25'/20' | Upright-spreading |
| Crabapples – <i>Malus</i> species | | |
| 'Adirondack' | 18'/12' | Vase-shaped |
| 'Beeson' (May's Delight [®]) | 8'/8' | Upright-spreading |
| 'Hub Tures' (Spring Sensation [™]) | 10'/12' | Wide-spreading |
| 'JFS-KW5' (Royal Raindrops [®]) | 20'/15' | Upright-spreading |
| 'Malusquest' (Pink Sparkles [®]) | 15'/12' | Upright |
| 'Orange Crush' | 15'/15' | Round-spreading |
| Dogwoods | | |
| Corneliancherry dogwood – <i>Cornus mas</i> | 20'/20' | Round-spreading |
| <u>Gray dogwood</u> – <i>Cornus racemosa</i> | | |
| 'Jade' (Snow Mantle [™]) | 15'/8' | Upright-spreading |
| Pagoda dogwood – <i>Cornus alternifolia</i> | 20'/20' | Spreading |

| | <u>Height/Width</u> | <u>Growth Habit</u> |
|---|---------------------|---------------------|
| Hophornbeams | | |
| American hophornbeam – <i>Ostrya virginiana</i> | 25'/20' | Upright-spreading |
| Hornbeams | | |
| <u>American hornbeam</u> – <i>Carpinus caroliniana</i> | | |
| 'J.N. Strain' | 25'/25' | Spreading |
| 'J.N. Upright' (Firespire™) | 20'/10' | Upright |
| Lilacs | | |
| <u>Japanese tree lilac</u> – <i>Syringa reticulata</i> | | |
| 'Bailnce' (Snowdance™) | 18'/20' | Round-spreading |
| 'Ivory Silk' | 25'/15' | Upright |
| <u>Pekin lilac</u> – <i>Syringa reticulata</i> subsp. <i>pekinensis</i> | | |
| 'Morton' (China Snow®) | 20'/20' | Upright-spreading |
| 'SunDak' (Copper Curls®) | 20'/15' | Upright-spreading |
| Magnolias | | |
| <u>Loebner magnolia</u> – <i>Magnolia × loebneri</i> | | |
| 'Merrill' | 25'/25' | Upright-spreading |
| 'Ruth' (Spring Welcome®) | 20'/20' | Round-spreading |
| Maples | | |
| <u>Tatarian maple</u> – <i>Acer tataricum</i> | | |
| 'GarAnn' (Hot Wings®) | 20'/25' | Round-spreading |
| Three-flower maple – <i>Acer triflorum</i> | 25'/25' | Upright-spreading |
| Pears | | |
| <u>Callery pear</u> – <i>Pyrus calleryana</i> | | |
| 'Glen's Form' (Chanticleer®) | 40'/15' | Narrow-pyramid |
| <u>Ussurian pear</u> – <i>Pyrus ussuriensis</i> | | |
| 'MorDak' (Prairie Gem®) | 25'/20' | Oval |
| 'Bailfrost' (Mountain Frost®) | 20'/15' | Upright-oval |
| Redbud | | |
| <u>American redbud</u> – <i>Cercis canadensis</i> | | |
| 'Pink Trim' (Northern Herald™) | 25'/25' | Spreading |

Serviceberries

Allegheny serviceberry – *Amelanchier laevis*

'Cumulus'

20'/15'

Upright-spreading

'JFS-Arb' (**Spring Flurry**[®])

28'/20'

Upright-oval

Apple serviceberry – *Amelanchier* × *grandiflora*

'Autumn Brilliance'

20'/15'

Upright-spreading

'Strata'

20'/20'

Horizontal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University
10-January-2013

The inventory was funded in part through a grant from the Iowa Department of Natural Resources to assist communities in Eastern Iowa with planning and managing their urban tree resources and development of response to the presence of EAB and other tree pests and problems.

Northeast Iowa RC&D and The State of Iowa are Equal Opportunity Employers.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the Iowa Civil Rights Commission, 1-800-457-4416, or write to the Iowa Department of Natural Resources, Wallace State Office Bldg., 502 E. 9th St., Des Moines, IA 50319.