2014 Urban Forest Management Plan

Floyd, Iowa




Table of Contents

Executive Summary	4
Overview	4
Inventory and Results	4
Recommendations	4
Inventory Results	5
Annual Benefits	5
Annual Energy Benefits	5
Annual Stormwater Benefits	
Annual Air Quality Benefits	
Annual Carbon Benefits	
Annual Aesthetics Benefits	
Financial Summary of all Benefits	
Forest Structure	
Species Distribution	
Age Class	
Condition: Wood and Foliage	
Management Needs	
Land Use and Location	
Lunu 036 unu Locumon	u
Recommendations	8
Risk Management	8
Pruning Cycle	
Planting	
Continual Monitoring	
Six Year Maintenance Plan with No Additional Funding	10
Emerald Ash Borer	11
Ash Tree Removal	11
EAB Quarantines	11
Wood Disposal	11
Canopy Replacement	
Postponed Work	
Monitoring	
Private Ash Trees	12
Budget	12
Works Cited	13
Appendix A: i-Tree Data	14
Appendix B: ArcGIS Mapping	20
Appendix C: Suitable Shade Tree Lists	

Community Tree Inventory

Floyd, Iowa

Summary

This plan was developed to assist the City of Floyd with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows communities to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (does not include mountain ash). There is a strong possibility that 14.7% of Floyd's city owned trees (ash) will die once EAB becomes established in the community. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory & Results

In 2014, a tree inventory was conducted using Global Positioning System (GPS) data collectors. --The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. The inventory was a complete inventory of street and park trees. Below are some key findings of the **177 trees inventoried**.

Inventory Overview

- Floyd's trees provide \$39,009.31 of benefits annually, an average of \$220.39 a tree
- There are over 30 species of trees
- The top three genus are: Maple 33.33%, Ash 14.69%, Cottonwood 9.6%
- 32.7% of trees are in need of some type of management
- 11 trees are recommended for removal.

General Recommendations

The following are key recommendations from the inventory:

- Of the 11 trees needing removal, 6 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately. Of the 11 removals, 5 are ash trees.
 - *City ownership of the trees recommended for removal should be verified prior to any removal
- After the removal of the 11 critical concern trees, ash trees in poor health should be assessed for removal.
- 1 of the 26 ash trees should be re-evaluated at a later date, because it is displaying signs and symptoms associated with EAB.
- All trees should be pruned on a routine schedule one third of the city every other year.
- Plant a diverse mix of trees that does NOT include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- Check ash trees with a visual survey yearly

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: **location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition.** Additionally, signs and symptoms of EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

Detailed Inventory Results

The data collected for the 177 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management (STRATUM), part of the i-Tree suite. The following are results from the i-Tree STRATUM analysis.

Annual Benefits

- 1. Annual Energy Benefits: Trees conserve energy by shading buildings and blocking winds. Floyd's trees reduce energy related costs by approximately \$10,209.27 annually. These savings are both in Electricity (48.34 MWh) and in Natural Gas (6,674.07 Therms).
- **2. Annual Stormwater Benefits:** Floyd's trees intercept about <u>587,487.44</u> gallons of rainfall or snowmelt a year. This interception provides <u>\$15,95</u>20.91 of benefits to the city.
- 3. Annual Air Quality Benefits: Air quality is a persistent public health issue in lowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Floyd, it is estimated that trees remove $\underline{643.61 \text{ lbs}}$ of air pollution (ozone (O_3), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO₂), and sulfur dioxide (SO₂)) per year with a $\underline{\text{net value of } \$1,818.74.}$
- **4. Annual Carbon Benefits:** Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Floyd trees sequester about 182,322.87 lbs of carbon dioxide (CO2) a year with an associated value of \$1,367.42. In addition, the trees store 2,366,966.70 lbs of carbon, with a yearly benefit of \$17,752.25.

5. Annual Aesthetics Benefits: Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic

value, property values, lowered rates of mental illness and crime, city livability and much more. Floyd receives \$9,692.96 in annual social benefits from trees.

Financial Summary of all Benefits: According to the USDA Forest Service i-Tree STRATUM analysis, Floyd's trees provide \$39,009.31 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 177 trees in Floyd provide approximately \$220 annually.

Benefits	Per Tree	Cumulative
Energy	\$57.68	\$10,209.27
CO ₂	\$7.73	\$1,367.42
Air Quality	\$10.28	\$1,818.74
Stormwater	\$89.95	\$15,920.91
Aesthetic/Other	\$54.76	\$9,692.96
Total (\$)	\$220.39	\$39,009.31

Forest Structure

1. Species & Genus Distribution: Floyd has over 30 different tree species along city streets and parks. The following figures and tables show the distribution of the 13 most common trees by genus and the ten most common species. It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Maple, and it is recommended that they should not be planted until this percentage can be lowered.

Figure 1: Common Tree Genus by Percentage




Figure 2: Common Tree Species by Percentage




Table 2: Tree Genus

Genus	No. of Trees
Maple	59
Ash	26
Cottonwood	17
Black Walnut	14
Spruce	14
Northern Hackberry	10
Elm	8
Apple	7
Oak	4
Pine	3
Cedar	3
Lilac	3
Willow	2

2. Age Class: Floyd has a good balance of age classes. For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. Floyd's size curve is fairly even, indicating an even-age stand. However, the most abundant genus, maple, is older than average.

Figure 3: Age Distribution of Top 10 Public Tree Species (by Percentage)




Table 3: Relative Age Distribution

	DBH class	(in)							
Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
Green ash	0.00	0.00	13.04	17.39	30.43	34.78	4.35	0.00	0.00
Sugar maple	0.00	4.55	4.55	13.64	13.64	22.73	18.18	18.18	4.55
Silver maple	0.00	0.00	5.56	0.00	22.22	11.11	5.56	5.56	50.00
Eastern cottonwood	0.00	0.00	0.00	0.00	11.76	52.94	17.65	11.76	5.88
Black walnut	0.00	14.29	21.43	0.00	7.14	21.43	35.71	0.00	0.00
Black maple	0.00	0.00	0.00	0.00	10.00	40.00	10.00	30.00	10.00
Northern hackberry	0.00	0.00	0.00	0.00	0.00	40.00	40.00	20.00	0.00
Norway spruce	0.00	28.57	0.00	14.29	42.86	14.29	0.00	0.00	0.00
Apple	0.00	0.00	57.14	0.00	42.86	0.00	0.00	0.00	0.00
Norway maple	0.00	0.00	28.57	14.29	14.29	28.57	14.29	0.00	0.00
Citywide Total	1.69	5.65	10.17	9.60	16.95	24.86	12.43	9.04	9.60

3. Condition:- Wood and Foliage: Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Floyd indicate that 94.4% of the trees are in fair-good health, with only 2.82% of the foliage in poor health, dead or dying. (2.8% of the trees had already dropped their leaves at the time of the inventory.) Similarly, 88.14% of Floyd's trees are in fair-good health for wood condition. Wood condition that is in poor health, dead or dying is about 11.86% of the population. This 11.86% is an estimate of trees that need management follow up soon.

Community Tree Inventory

Floyd, Iowa

- **4. Management Needs:** The following management needs for Floyd's urban trees are outlined in Table 4. The table outlines the specific management needs of the street and park trees by number of trees and percent of the canopy.
- Crown cleaning removes dead, diseased, and damaged limbs.
- Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles.
- Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years.
- Tree staking includes staking, training, mulching, etc.

Table 4: Management Needs

Technique	No of Trees	Percentage
Crown Cleaning	40	22.6%
Crown Raising	0	0%
Tree Staking	2	1.1%
Tree Removal	11	6.2%
Crown Reduction	5	2.8%

		_			
lnh	Δ۱	٦.	lnr	hr	Use
w	I C	J.	LUI	w	U.M

Single Family Residential	42.37%
Park/Vacant/Other	46.33%
Industrial/Large Commercial	5.65%
Small Commercial	5.65%
Multifamily Residential	0%

Table 6: Location Type

Table C. Eccalion	.16.
Planting Strip	17.51%
Other Maintained Location (Park)	46.33%
Front Yard	36.2%
Trom rara	00.270
Cutout	0%
(Surrounded by Pavement)	

- **5. Canopy Cover:** Floyd occupies 384 acres. The total canopy with both private and public trees is 17% and 66.5 acres. The canopy cover included in the Floyd inventory includes 6 acres, or about 1.55% of the canopy cover.
- **6. Land Use and Location:** The majority of Floyd's city and park trees are in city parks and in single family residential neighborhoods. Table 5 & Table 6 (above) describe the land use and locations for the street and park trees.

Recommendations

- 1. Risk Management: Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc. should be removed.
- 2. Hazardous Trees: Floyd has 11 critical concern trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance map (Appendix B, Image 4 & Image 5). It is recommended to start with the large diameter critical concern trees first. There are 6 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the Six Year Maintenance Plan at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance that do not include trimming. There are a total of 5 tree with these needs.
- 3. Poor Tree Species: After the removal of the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Image 3 &

Appendix B, Image 4). Of the 11 removals, 5 are ash trees. There are a total of 26 ash trees, and 1 of those have signs and symptoms that have been associated with EAB. In addition, there are 21 trees that are in poor health. *City ownership of the trees recommended for removal should be verified prior to any removal.

- **4. Pruning Cycle:** Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the *Six-Year Maintenance Plan* for further information.
- **5. Planting:** Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Floyd.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Maple (33.3%). Maple should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. All trees planted must meet the restrictions in the city tree ordinance.

The importance of species diversity was brought to the forefront with the loss of the American elm from Dutch elm disease. When one genus (Maple) makes up a majority of the species (Norway Maple, Silver Maple, Sugar Maple) in a planting it is an unbalanced population. These unbalanced populations leave the population open to destruction from diseases and pests. Unfortunately, the lessons of the American elm are only recently being heeded. Communities typically replaced lost elms with a small but reliable selection of ash and Norway and silver maple. This left cities in the predicament they are finding themselves in now as they stand to lose a large percentage of their ash trees to the emerald ash borer.

6. Continual Monitoring: It is important to continuously check the health of all trees. Due to the imminent threat of Emerald Ash Borer to ash trees, it is recommended that trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage. For a list of forest health threats, please visit the lowa DNR's website at http://www.iowadnr.gov/Environment/Forestry/ForestHealth

Proposed Six Year Maintenance Plan

Year 1: Removal: 5 largest critical concern trees (includes 1 ash of critical concern) or saving for ash tree treatment
Planting and Replacement: 7 trees to be planted in open locations
Visual Survey for signs and symptoms of EAB

Year 2: Removal: 5 critical concern trees of all species and 2 ash in poor health or saving for ash tree treatment Planting and Replacement: 6 trees in open locations from year one removals

Routine pruning: 1/3 of the city trees (55)

Visual Survey for signs and symptoms of EAB

Year 3: Removal: 5 ash or saving for ash tree treatment

Planting and Replacement: 6 trees to be planted in open locations

Visual Survey for signs and symptoms of EAB

Year 4: Removal: 5 ash and any new critical concern trees or saving for ash tree treatment

Planting and Replacement: 6 trees in open locations from previous removals

Routine pruning: 1/3 of the city trees (55)

Visual Survey for signs and symptoms of EAB

Year 5: Removal: 5 ash, new critical concern trees and/or ash in poor health or saving for ash tree treatment

Planting and Replacement: 6 trees to be planted in open locations and locations from previous removals

Visual Survey for signs and symptoms of EAB

Year 6: Removal: 5 ash and any new critical concern trees or saving for ash tree treatment

Planting and Replacement: 6 trees in open locations from previous removals

Routine pruning: 1/3 of the city trees (55)

Visual Survey for signs and symptoms of EAB

Reduction of ash over 6 years: 21 ash trees removed (81% of ash). EAB could potentially kill all ash within 4 years of its arrival. ** To remove all ash trees within 6 years, and do nothing else, the budget would need to be \$2,800/year.

Emerald Ash Borer Plan

1. Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first. Next will be all ash in poor condition and displaying signs and symptoms of EAB. *City owner-ship of the tree recommended for removal should be verified prior to any removal.

2. Treatment of Ash Trees

Chemical treatment can be effective, spreading removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit http://extension.entm.purdue.edu/treecomputer/



Emerald Ash Borer Beetle next to D-shaped exit holes.

3. EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of over 25 million ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's guarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

4. Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees. Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website http://www.aphis.usda.gov/plant health/plant pest info/emerald ash b/regulatory.shtml.

5. Canopy Replacement

As budget permits, all removed ash trees will be replaced. All trees will meet the restrictions in the city ordinance. The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

6. Postponed Work

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genus other than ash will be prioritized by hazardous or emergency situations only.

Community Tree Inventory

Floyd, Iowa

7. Monitoring (repeated)

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

8. Private Ash Trees

It is strongly recommended that private property owners start removing ash trees or treating healthy trees they desire to preserve on their property upon arrival of EAB or confirmed within 15 miles. Refer to City Ordinance for additional information.

Proposed Budget

Total \$28,750 over 6 years (\$4,800/year)

FY 2015 Budget

Removal @ \$700/tree: \$4,200 or saving for ash tree treatment

Planting @ \$100/tree: \$700

Watering & Maintenance @ \$50/tree: \$350

FY 2016 Budget

Removal: \$3,500 or saving for ash tree treatment

Planting: \$600

Watering & Maintenance: \$300 Routine Pruning @ \$9/tree: \$500

FY 2017 Budget

Removal: \$3,500or saving for ash tree treatment

Planting: \$600

Watering & Maintenance: \$300

FY 2018 Budget

Removal: \$3,500 or saving for ash tree treatment

Planting: \$600

Contract 1/3 trimming: \$300

Watering & Maintenance: \$500

FY 2019 Budget

Removal: \$3,500 or saving for ash tree treatment

Planting: \$600

Watering & Maintenance: \$300

FY 2020 Budget

Removal: \$3,500 or saving for ash tree treatment

Planting: \$600

Contract 1/3 trimming: \$300 Watering & Maintenance: \$500

Proposed Budget Increase

EAB could potentially kill all ash trees in Floyd within 4 years of its arrival. To remove all ash trees within 6 years the budget would need to be \$2,800 a year. Additionally, it is recommended that Floyd apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

^{*}Reduction of ash over 6 years: Approximately 21 ash trees removed (81% of ash). It will take nearly 7 years to remove all the ash with the proposed budget.

Works Cited

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, D.J. and J.F. Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao,
Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting.
Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

Appendix A: i-Tree Data

Table 1: Annual Energy Benefits

	Total Electricity	Electricity	Total Natural	Natural		% of Total	% of	Avg.
Species	(MWh)	(\$)	Gas (Therms)	Gas (\$)	Total (\$)	Trees	Total \$	\$/tree
Green ash	6.08	461.79	844.47	827.59	1,289.38	12.99	12.63	56.06
Sugar maple	6.82	517.27	907.32	889.17	1,406.44	12.43	13.78	63.93
Silver maple	6.63	503.46	895.24	877.34	1,380.79	10.17	13.52	76.71
Eastern cottonwood	6.01	456.33	840.05	823.25	1,279.58	9.60	12.53	75.27
Black walnut	3.53	267.96	495.65	485.73	753.69	7.91	7.38	53.84
Black maple	2.84	215.82	399.00	391.02	606.84	5.65	5.94	60.68
Northern hackberry	4.17	316.68	590.93	579.11	895.80	5.65	8.77	89.58
Norway spruce	0.80	60.73	106.33	104.20	164.93	3.95	1.62	23.56
Apple	0.89	67.92	146.20	143.27	211.19	3.95	2.07	30.17
Norway maple	1.67	126.81	245.01	240.11	366.92	3.95	3.59	52.42
Blue spruce	0.32	24.11	41.27	40.45	64.56	2.82	0.63	12.91
Siberian elm	1.65	125.59	216.75	212.42	338.01	2.26	3.31	84.50
American elm	1.63	123.58	218.67	214.29	337.88	2.26	3.31	84.47
Northern red oak	0.39	29.32	51.66	50.62	79.95	1.69	0.78	26.65
White ash	1.37	103.83	171.11	167.69	271.51	1.69	2.66	90.50
Lilac	0.60	45.45	94.87	92.97	138.42	1.69	1.36	46.14
Eastern white pine	0.28	20.94	34.35	33.66	54.61	1.13	0.53	27.30
Spruce	0.01	0.55	1.33	1.30	1.85	1.13	0.02	0.93
Northern white cedar	0.21	15.78	28.57	28.00	43.78	1.13	0.43	21.89
Willow	0.64	48.74	94.83	92.94	141.68	1.13	1.39	70.84
Other City Trees	1.79	136.01	250.47	245.46	381.47	6.78	3.74	32.70
Total	48.34	3,668.68	6,674.07	6,540.59	10,209.27	100.00	100.00	57.68

Table 2: Annual Stormwater Benefits

	Total Rainfall		% of Total	% of	Avg.
Species	Interception (Gal)	Total (\$)	Trees	Total \$	\$/tree
Green ash	62,854.70	1,703.36	12.99	10.70	74.06
Sugar maple	87,900.06	2,382.09	12.43	14.96	108.28
Silver maple	104,382.96	2,828.78	10.17	17.77	157.15
Eastern cottonwood	78,856.29	2,137.01	9.60	13.42	125.71
Black walnut	44,039.02	1,193.46	7.91	7.50	85.25
Black maple	28,669.80	776.95	5.65	4.88	77.70
Northern hackberry	47,401.87	1,284.59	5.65	8.07	128.46
Norway spruce	15,476.36	419.41	3.95	2.63	59.92
Apple	4,580.06	124.12	3.95	0.78	17.73
Norway maple	16,353.33	443.18	3.95	2.78	63.31
Blue spruce	3,639.74	98.64	2.82	0.62	19.73
Siberian elm	21,449.08	581.27	2.26	3.65	145.32
American elm	16,432.53	445.32	2.26	2.80	111.33
Northern red oak	2,250.61	60.99	1.69	0.38	20.33
White ash	18,481.45	500.85	1.69	3.15	166.95
Lilac	3,522.10	95.45	1.69	0.60	31.82
Eastern white pine	4,507.80	122.16	1.13	0.77	61.08
Spruce	97.48	2.64	1.13	0.02	1.32
Broadleaf Deciduous Sma	735.19	19.92	1.13	0.13	9.96
Northern white cedar	4,817.41	130.55	1.13	0.82	65.28
Willow	7,528.69	204.03	1.13	1.28	102.01
Other City Trees	13,510.90	366.15	5.65	2.30	36.61
Citywide total	587,487.44	15,920.91	100.00	100.00	89.95

Annual Air Quality Benefits of Public Trees by Species	s of Public T	rees by Spec	ies													
	Deposition	Deposition	Deposition	Deposition Deposition Deposition Total	Total	Avoided	Avoided	Avoided	Avoided	Total Avoided BVOC	BVOC	BVOC			% of Total	Avg.
Species	O3 (Ib)	NO2 (Ib)	PM10 (lb) SO2	(lb)	Deposition (\$) NO2 (lb)	NO2 (Ib)	PM10 (Ib) VOC (Ib)		SO2 (Ib)	(\$)	Emissions (lb)	Emissions (lb) Emissions (\$) Total (lb) Total (\$)	Total (Ib)	Total (\$)	Trees	\$/tree
Green ash	7.12	1.14	3.51	0.32	38.22	29.15	4.24	4.04	27.58	181.35	0.00	00:00	77.09	219.57	12.99	9.55
Sugar maple	12.90	2.20	6.21	0.57	69.23	32.27	4.72	4.50	30.86	201.64	- 10.00	- 37.49	84.23	233.38	12.43	10.61
Silver maple	20.65	3.50	9.93	0.92	110.75	31.48	4.59	4.38	30.01	196.44	- 11.32	- 42,45	94.14	264.75	10.17	14.71
Eastern cottonwood	11.27	1.80	5.15	0.51	59.33	28.86	4.19	3.99	27.25	179.39	0.00	0.00	83.02	238.72	9.60	14.04
Black walnut	5.79	0.93	2.70	0.26	30.65	16.96	2.46	2.35	16.00	105.40	0.00	0.00	47.45	136.05	7.91	9.72
Black maple	7.49	1.28	3.43	0.33	39.70	13.64	1.98	1.89	12.88	84.80	- 2.43	- 9.10	40.49	115.40	5.65	11.54
Northern hackberry	8.15	1.41	4.01	0.36	44.06	20.13	2.92	2.78	18.92	124.91	0.00	0.00	58.68	168.97	5.65	16.90
Norway spruce	1.79	0.35	1.46	0.22	11.75	3.78	0.55	0.53	3.62	23.65	- 7.65	- 28.70	4.65	6.70	3.95	0.96
Apple	1.48	0.24	69.0	0.07	7.87	4.48	0.64	09.0	4.05	27.38	- 0.01	- 0.03	12.25	35.23	3.95	5.03
Norway maple	3.41	0.59	1.67	0.15	18.43	8.14	1.17	1.12	7.58	50.31	- 0.80	- 2.98	23.04	65.75	3.95	9.39
Blue spruce	0.41	0.08	0.36	0.05	2.78	1.49	0.22	0.21	1.44	9:36	- 1.25	- 4.68	3.02	7.46	2.82	1.49
Siberian elm	4.36	0.74	2.04	0.19	23.26	7.81	1.14	1.09	7.49	48.86	0.00	0.00	24.88	72.12	2.26	18.03
American elm	3.49	09.0	1.69	0.15	18.78	7.74	1.13	1.08	7.38	48.30	0.00	0.00	23.26	60.79	2.26	16.77
Northern red oak	0.35	90.0	0.19	0.05	1.93	1.83	0.27	0.26	1.75	11.44	- 0.48	- 1.80	4.24	11.57	1.69	3.86
White ash	3.77	09.0	1.67	0.17	19.69	6.38	0.94	06.0	6.19	40.08	0.00	0.00	20.61	59.77	1.69	19.92
Lilac	1.30	0.21	0.59	90.0	6.85	2.97	0.45	0.40	2.71	18.22	- 0.01	- 0.03	8.66	25.04	1.69	8.35
Eastern white pine	0.51	0.10	0.43	90.0	3.40	1.28	0.19	0.18	1.25	8.08	- 1.92	- 7.21	2.09	4.27	1.13	2.13
Spruce	00.00	00.00	00.00	00.00	0.01	0.04	0.01	0.00	0.03	0.23	- 0.04	- 0.14	0.05	0.10	1.13	0.05
Broadleaf Deciduous Sma	0.21	0.03	0.10	0.01	1.13	0.99	0.14	0.14	0.93	6.14	0.00	0.00	2.56	7.27	1.13	3.63
Northern white cedar	0.58	0.11	0.46	0.07	3.76	0.99	0.14	0.14	0.94	6.18	- 2.92	- 10.95	0.52	- 1.02	1.13	- 0.51
Willow	1.73	0.30	0.82	0.08	9.27	3.13	0.45	0.43	2.91	19.36	- 0.39	- 1.46	9.46	27.16	1.13	13.58
Other City Trees	2.21	0.38	1.24	0.14	12.45	7.61	1.11	1.05	7.19	47.31	- 1.69	- 6.35	19.23	53.40	5.65	5.34
Citywide Total	98.97	16.66	48.37	4.71	533.30	231.16	33.62	32.05	218.97	1,438.81	- 40.90	- 153.37	643.61	1,818.74	100.00	10.28

Annual CO2 Benefits of Public Trees by Species	ublic Trees by §	pecies										
Species	Sequestered Sequestered (1b) (\$)	Sequestered (\$)	Decomposition Maint. Release Total Release Avoided Release(lb) (lb) (\$\frac{1}{2}\$)	Maint. Release (Ib)	Total Release (\$)		Avoided (\$)	Avoided Net Total (\$) (Ib)	Total (\$)	% of Total % of Trees Tota	% of Total \$	Avg. \$/tree
Green ash	14,840.15	111.30	- 1,099.78	- 62.79	- 0.47	10,205.52	76.54	23,883.10	179.12	12.99	13.10	7.79
Sugar maple	17,197.59	128.98	- 1,826.47	- 76.64	- 0.57	11,431.49	85.74	26,725.97	200.44	12.43	14.66	9.11
Silver maple	34,280.83	257.11	- 2,597.30	- 81.12	- 0.61	11,126.23	83.45	42,728.64	320.46	10.17	23.44	17.80
Eastern cottonwood	14,213.12	106.60	- 1,781.75	- 65.91	- 0.49	10,084.78	75.64	22,450.24	168.38	9.60	12.31	9.90
Black walnut	8,803.01	66.02	- 907.04	- 39.39	- 0.30	5,921.83	44.41	13,778.41	103.34	7.91	7.56	7.38
Black maple	923.35	6.93	- 381.37	- 27.30	- 0.20	4,769.63	35.77	5,284.30	39.63	5.65	2.90	3.96
Northern hackberry	5,881.23	44.11	- 610.77	- 41.34	- 0.31	6,998.56	52.49	12,227.67	91.71	5.65	6.71	9.17
Norway spruce	969.72	7.27	- 90.07	- 14.82	- 0.11	1,342.21	10.07	2,207.04	16.55	3.95	1.21	2.36
Apple	1,890.85	14.18	- 114.53	- 12.87	- 0.10	1,500.94	11.26	3,264.40	24.48	3.95	1.79	3.50
Norway maple	2,043.85	15.33	- 271.73	- 18.33	- 0.14	2,802.51	21.02	4,556.29	34.17	3.95	2.50	4.88
Blue spruce	207.25	1.55	- 11.16	- 5.27	- 0.04	532.82	4.00	723.64	5.43	2.82	0.40	1.09
Siberian elm	3,289.60	24.67	- 512.23	- 18.72	- 0.14	2,775.44	20.82	5,534.10	41.51	2.26	3.04	10.38
American elm	1,974.86	14.81	- 347.99	- 15.60	- 0.12	2,731.14	20.48	4,342.41	32.57	2.26	2.38	8.14
Northern red oak	576.02	4.32	- 27.09	- 4.29	- 0.03	648.04	4.86	1,192.69	8.95	1.69	0.65	2.98
White ash	2,630.42	19.73	- 275.95	- 12.09	- 0.09	2,294.61	17.21	4,636.99	34.78	1.69	2.54	11.59
Lilac	00.00	0.00	- 97.10	- 10.53	- 0.08	1,004.33	7.53	896.70	6.73	1.69	0.49	2.24
Eastern white pine	302.92	2.27	- 21.66	- 4.68	- 0.04	462.88	3.47	739.46	5.55	1.13	0.41	2.77
Spruce	7.07	0.05	- 0.04	- 0.39	00.00	12.15	0.09	18.79	0.14	1.13	0.01	0.07
Broadleaf Deciduous Sma	305.58	2.29	- 15.43	- 2.54	- 0.02	345.68	2.59	633.29	4.75	1.13	0.35	2.37
Northern white cedar	18.00	0.13	- 36.14	- 5.66	- 0.04	348.76	2.62	324.97	2.44	1.13	0.18	1.22
Willow	00.00	0.00	- 137.09	- 8.58	90'0 -	1,077.18	8.08	931.51	6.99	1.13	0.51	3.49
Other City Trees	2,802.11	21.02	- 199.48	- 20.48	- 0.15	2,660.10	19.95	5,242.25	39.32	5.65	2.88	3.93
Citywide Total	113,157.53	848.68	- 11,362.16	- 549.32	- 4.12	81,076.82	80.809	182,322.87	1,367.42	100.00	100.00	7.73

Table 5: Annual Carbon Stored

Stored CO2 Benefits of Pu	ublic Trees by Species				
Species	Total stored CO2 (lbs)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	229,119.94	1,718.40	12.99	9.68	74.71
Sugar maple	380,368.78	2,852.77	12.43	16.07	129.67
Silver maple	541,103.19	4,058.27	10.17	22.86	225.46
Eastern cottonwood	371,198.71	2,783.99	9.60	15.68	163.76
Black walnut	188,966.24	1,417.25	7.91	7.98	101.23
Black maple	79,452.86	595.90	5.65	3.36	59.59
Northern hackberry	127,243.73	954.33	5.65	5.38	95.43
Norway spruce	18,765.12	140.74	3.95	0.79	20.11
Apple	23,859.77	178.95	3.95	1.01	25.56
Norway maple	56,611.22	424.58	3.95	2.39	60.65
Blue spruce	2,324.48	17.43	2.82	0.10	3.49
Siberian elm	106,713.63	800.35	2.26	4.51	200.09
American elm	72,497.02	543.73	2.26	3.06	135.93
Northern red oak	5,644.29	42.33	1.69	0.24	14.11
White ash	57,488.68	431.17	1.69	2.43	143.72
Lilac	20,228.14	151.71	1.69	0.85	50.57
Eastern white pine	4,512.98	33.85	1.13	0.19	16.92
Spruce	4.94	0.04	1.13	0.00	0.02
Broadleaf Deciduous Sma	3,214.95	24.11	1.13	0.14	12.06
Northern white cedar	7,528.47	56.46	1.13	0.32	28.23
Willow	28,560.29	214.20	1.13	1.21	107.10
Other City Trees	41,559.26	311.69	5.65	1.76	31.17
Citywide total	2,366,966.70	17,752.25	100.00	100.00	100.30

Table 6: Annual Social and Aesthetic Benefits

Annual Aesthetic/Other E Species	Total (\$)	% of Total Trees		Avg \$/tree
Green ash	1,264.24	12.99	13.04	54.97
Sugar maple	1,694.80	12.43	17.48	77.04
Silver maple	2,403.52	10.17	24.80	133.53
Eastern cottonwood	1,050.74	9.60	10.84	61.81
Black walnut	702.59	7.91	7.25	50.19
Black maple	109.10	5.65	1.13	10.91
Northern hackberry	701.70	5.65	7.24	70.17
Norway spruce	213.48	3.95	2.20	30.50
Apple	112.01	3.95	1.16	16.00
Norway maple	197.58	3.95	2.04	28.23
Blue spruce	80.11	2.82	0.83	16.02
Siberian elm	200.98	2.26	2.07	50.25
American elm	266.42	2.26	2.75	66.61
Northern red oak	56.57	1.69	0.58	18.86
White ash	252.72	1.69	2.61	84.24
Lilac	0.01	1.69	0.00	0.00
Eastern white pine	79.40	1.13	0.82	39.70
Spruce	11.52	1.13	0.12	5.76
Broadleaf Deciduous Sma	17.54	1.13	0.18	8.77
Northern white cedar	6.84	1.13	0.07	3.42
Willow	0.00	1.13	0.00	0.00
Other City Trees	271.09	5.65	2.80	27.11
Citywide Total	9,692.96	100.00	100.00	54.76

Table 7: Summary of Benefits in Dollars

Species	Energy	CO2	Air Quality	Stormwater	Aesthetic/Other	Total
Green ash	56.06	7.79	9.55	74.06	54.97	202.42
Sugar maple	63.93	9.11	10.61	108.28	77.04	268.96
Silver maple	76.71	17.80	14.71	157.15	133.53	399.91
Eastern cottonwood	75.27	9.90	14.04	125.71	61.81	286.73
Black walnut	53.84	7.38	9.72	85.25	50.19	206.37
Black maple	60.68	3.96	11.54	77.70	10.91	164.79
Northern hackberry	89.58	9.17	16.90	128.46	70.17	314.28
Norway spruce	23.56	2.36	0.96	59.92	30.50	117.30
Apple	30.17	3.50	5.03	17.73	16.00	72.43
Norway maple	52.42	4.88	9.39	63.31	28.23	158.23
Blue spruce	12.91	1.09	1.49	19.73	16.02	51.24
Siberian elm	84.50	10.38	18.03	145.32	50.25	308.47
American elm	84.47	8.14	16.77	111.33	66.61	287.32
Northern red oak	26.65	2.98	3.86	20.33	18.86	72.67
White ash	90.50	11.59	19.92	166.95	84.24	373.21
Lilac	46.14	2.24	8.35	31.82	0.00	88.55
Eastern white pine	27.30	2.77	2.13	61.08	39.70	132.99
Spruce	0.93	0.07	0.05	1.32	5.76	8.13
Broadleaf Deciduous Sma	21.77	2.37	3.63	9.96	8.77	46.51
Northern white cedar	21.89	1.22	- 0.51	65.28	3.42	91.29
Willow	70.84	3.49	13.58	102.01	0.00	189.93
Other City Trees	33.79	3.93	5.34	36.61	27.11	106.79
Citywide Total	57.68	7.73	10.28	89.95	54.76	220.39

Figure 1: Species Distribution




Figure 2: Relative Age Class

Relative Age Distribution of Top 10 Public Tree Species (%)




Table 8: Relative Age Class

	DBH class	(in)							
Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
Green ash	0.00	0.00	13.04	17.39	30.43	34.78	4.35	0.00	0.00
Sugar maple	0.00	4.55	4.55	13.64	13.64	22.73	18.18	18.18	4.55
Silver maple	0.00	0.00	5.56	0.00	22.22	11.11	5.56	5.56	50.00
Eastern cottonwood	0.00	0.00	0.00	0.00	11.76	52.94	17.65	11.76	5.88
Black walnut	0.00	14.29	21.43	0.00	7.14	21.43	35.71	0.00	0.00
Black maple	0.00	0.00	0.00	0.00	10.00	40.00	10.00	30.00	10.00
Northern hackberry	0.00	0.00	0.00	0.00	0.00	40.00	40.00	20.00	0.00
Norway spruce	0.00	28.57	0.00	14.29	42.86	14.29	0.00	0.00	0.00
Apple	0.00	0.00	57.14	0.00	42.86	0.00	0.00	0.00	0.00
Norway maple	0.00	0.00	28.57	14.29	14.29	28.57	14.29	0.00	0.00
Citywide Total	1.69	5.65	10.17	9.60	16.95	24.86	12.43	9.04	9.60

Figure 3: Foliage Condition

Functional (Foliage) Condition of Public Trees




Figure 4: Wood Condition

Structural (Woody) Condition of Public Trees




Figure 5: Land Use of City/Park Trees





Figure 6: Location of City/Park Trees



Appendix B: ArcGIS Mapping

Image 1: Location of Ash Trees

Image 2: Location of EAB Symptoms

Image 3: Location of Poor Condition Ash Trees

Image 4: Location of Trees with Recommended Maintenance

Image 5: Maintenance Tasks

Image 6: Good Condition Ash




Image 1. Location of Ash Trees

Legend

Green ash



Black ash

Floyd, Iowa



Map created by Northeast Iowa RC&D 11/13/2014



Image 2. Location of Trees with One or More Symptoms of EAB (Canopy Dieback, Epicormic Shoots, Woodpecker Damage, Bark Splitting, or D-Shaped Exit Holes)

Legend

FAB Symptoms



Floyd, Iowa

0 0.0375 0.075 0.15 Miles



Map created by Northeast Iowa RC&D 11/13/2014




Image 3. Location of Poor Condition Ash Trees (Wood and/or Leaves are Dead/Dying or in Poor Condition)

Legend

Dead or Dying

Poor

Floyd, Iowa

0 0.0375 0.075 0.15



Map created by Northeast Iowa RC&D 11/13/2014




Legend

CriticalConcern

Mature Tree Immediate

Mat Rou

Mature Tree Routine Young Tree Immediate Young Tree Routine






Legend



Treat pest/disease





Location of Good Condition Ash Trees

(Wood and Leaves are in Good Condition, Trees Show No Symptoms of EAB, and No Wires are Conflicting)

Legend

Green ash

White ash



Black ash

Ash

Floyd, lowa





Map created by Northeast Iowa RC&D 12/3/2014

Appendix C: Suitable Shade Tree Lists

Shade Trees for Iowa

This document lists several shade tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

<u>Deciduous Shade Trees</u>	Height/Width	Growth Habit
Alder <u>Manchurian alder</u> – <i>Alnus hirsuta</i>		
'Harbin' (Prairie Horizon ®)	40'/30'	Upright
Amur maackia – Maackia amurensis	25'/25'	Upright-spreading
Baldcypresses		
Baldcypress – Taxodium distichum		
'Mickelson' (Shawnee Brave ®) 'JFS-SGPN' (Green Whisper TM)	55'/20'	Narrow-pyramid
JFS-SGPN (Green Whisper)	55'/30'	Pyramidal
Birches		
Asian white birch – Betula platyphylla		
'VerDale' (Prairie Vision ®)	35'/30'	Upright-oval
<u>Gray birch</u> – Betula populifolia		
'Whitespire Sr.'	40'/25'	Pyramidal-oval
P		
<u>Hybrid birch</u> – Betula ×		
'Penci-2' (Royal Frost®)	40'/25'	Pyramidal
River birch – Betula nigra		
'Cully' (Heritage ®)	45'/30'	Oval
	-Z:1: -	
Whitebarked Himalayan birch – Betula i 'Madison' (White Satin)	atus 35'/20'	Broadly-pyramidal
wiadison (white saim)	33/20	Dioadiy-pyraiiidai

	ht/Width	Growth Habit
Coffeetree		
<u>Kentucky coffeetree</u> – <i>Gymnocladus dioicus</i> 'Espresso'	50'/35'	Oval
Cork trees		
<u>Cork tree</u> – <i>Phellodendron</i> species		
'Longenecker' (Eve Stopper")	40'/35'	Rounded
'His Majesty'	40'/35'	Vase-shaped
		•
Elms		
<u>American elm</u> – Ulmus americana		
'Jefferson'	70'/50'	Vase-shaped
'Princeton'	60'/40'	Vase-shaped
'Lewis & Clark' (Prairie Expedition TM)	60'/50'	Umbrella-shaped
'New Harmony'	70'/70'	Vase-shaped
'Valley Forge'	70'/70'	Vase-shaped
Asian Elm Cultivars and Hybrids		
'Morton' (Accolade TM)	70'/60'	Vase-shaped
'Morton Glossy' (Triumph [™])	55'/45'	Vase-shaped
'New Horizon'	55'/40'	Upright-oval
'Prospector'	40'/30'	Vase-shaped
'Discovery'	50'/40'	Vase-shaped
Eventual and Eventual Helpfield Elec Cultivans		
European and Eurasian Hybrid Elm Cultivars 'Patriot'	50'/40'	Stiff was shaped
ramot	30/40	Stiff vase-shaped
Filbert		
Turkish filbert – Corylus colurna	40'/30'	Pyramidal
Turkish moort - Coryrus cournu	40/30	1 yranndar
Gingkoes		
<u>Ginkgo</u> – Ginkgo biloba		
'Autumn Gold'	45'/35'	Broadly-pyramidal
'Halka'	45'/40'	Oval
'Magyar'	60'/40'	Upright-oval
'PNI 2720' (Princeton Sentry®)	40'/15'	Narrow-pyramidal
'JFS-UGA2' (Golden Colonnade®)	45'/25'	Narrow-oval
'The President' (Presidential Gold®)	50'/40'	Broadly-pyramidal
s s		ā 855 55

Hackberries	Height/Width	Growth Habit
Hackberry – Celtis occidentalis		
'JFS-KSU1' (Prairie Sentinel TM)	45'/12'	Columnar
'Chicagoland'	50'/40'	Broadly-pyramidal
'Prairie Pride'	50'/40'	Oval
Honeylocusts		
<u> Honeylocust – Gleditsia triacanthos var</u>	. inermis	
'Draves' (Street Keeper TM)	45'/20'	Narrow-upright
'Harve' (Northern Acclaim ™)	45'/35'	Upright-spreading
'Skycole' (Skyline ®)	50'/35'	Pyramidal
Hornbeams		
European hornbeam – Carpinus betulus		
'JFS-KW1CB' (Emerald Avenue	350	Broadly-pyramidal
'Windy City'	45'/40'	Upright-spreading
TT 1 1		
Hophornbeam	101/051	TT
American hophornbeam – Ostrya virgin	iana 40'/25'	Upright-oval
Horsechestnuts		
Common horsechestnut – Aesculus hipp	ocastanum	
'Baumannii'	50'/40'	Broadly-oval
Dadinamin	30740	Dioddiy ovar
Red horsechestnut – Aesculus × carnea		
'Briotii'	30'/35'	Round
'Fort McNair'	30'/30'	Round
Lindens		
American linden – Tilia americana		
'Boulevard'	60'/30'	Pyramidal
'Continental Appeal'	50'/30'	Narrow-oval
'Wandell' (Legend ®)	40'/30'	Broad-pyramidal
'McKSentry' (American Sentry®	9) 45'/30'	Pyramidal
'Lincoln'	35'/25'	Pyramidal
'Redmond'	50'/35'	Pyramidal
	147 (S)	
<u>Hybrid Linden</u> – Tilia × flavescens (ame		_ 123
'Glenleven'	50'/30'	Pyramidal

	<u>Height/Width</u>	Growth Habit
<u>Littleleaf linden</u> – <i>Tilia cordata</i>	401/201	Drugue i dal
'Baileyi' (Shamrock[®]) 'Corzam' (Corinthian[®])	40'/30' 45'/15'	Pyramidal Narrow-pyramid
'Ronald' (Norlin ™)	40'/30'	Pyramidal
Rollaid (Norini)	40/30	1 yraillidai
Mongolian linden – Tilia mongolica		
'Harvest Gold'	30-40'/25-30'	Upright-oval
<u>Silver linden</u> – Tilia tomentosa		
'PNI 6051' (Green Mountain ®)	45'/35'	Broad-pyramidal
'Sterling'	45'/35'	Broad-pyramidal
X 6 10		
Magnolias	50.001/40.601	TT 1/ 1
Cucumbertree – $Magnolia$ $acuminata$	50-80'/40-60'	Upright-oval
Maples		
Black maple – Acer nigrum	60'/60'	Round-spreading
<u>Buttimapie</u> Ther ingrum	00,00	reams spreasing
<u>Freeman maple</u> – $Acer \times freemanii$		
'Jeffersred' (Autumn Blaze®)	50'/45'	Broadly-oval
'DTR 102' (Autumn Fantasy®)	40'/30'	Broadly-oval
'Marmo'	50'/30'	Upright-oval
'Bailston' (Matador ™)	40'/30'	Upright-oval
'Morgan' ('Indian Summer')	45'/40'	Rounded
'Sienna' (Sienna Glen ®)	45'/35'	Pyramidal
'UMNAF#1' (Firefall[™])	50'/30'	Upright-oval
TT 1 '1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 7	
<u>Hybrid maple</u> – Acer truncatum × platano 'Warrenred' (Pacific Sunset ®)	30'/25'	Upright-spreading
'JFS-KW202' (Crimson Sunset)	35'/25'	Upright-oval
31 5-KW202 (Climson Sunset)	33/23	Oprignt-ovar
Miyabe maple – Acer miyabei		
'Morton' (State Street™)	45'/30'	Upright-oval
'JFS-KW3AMI' (Rugged Ridge [™])		Upright-oval
, 30		
Norway maple – Acer platanoides		
'Columnarbroad' (Parkway®)	40'/25'	Oval
'Deborah'	45'/40'	Rounded
'Emerald Queen'	50'/40'	Oval-upright
'Ezestre' (Easy Street TM)	40'/20'	Narrow-pyramidal
'Fairview'	45'/35'	Upright-oval

	Height/Width	Growth Habit
'Pond' (Emerald Lustre TM)	45'/40'	Rounded
'Princeton Gold'	35'/30'	Oval
Red maple – Acer rubrum		
'Bailcraig' (Scarlet Jewell TM)	50'/30'	Upright
'Franksred' (Red Sunset ®)	45'/35'	Upright-oval
'Magnificent Magenta' (Burgundy Bell	$e^{\mathbb{R}}$) 50'/40'	Oval
'Frank Jr.' (Redpointe ™)	45'/30'	Pyramidal
'New World'	40'/20'	Narrow-oval
'Polara' (Rubyfrost ™)	45'/40'	Broadly-oval
'Somerset'	45'/35'	Broadly-oval
Succession and a succession of the succession of		
Sugar maple – Acer saccharum	45'/40'	Drondly oval
'Autumn Splendor' 'JFS-KW8' (Autumn Fest ™)	50'/35'	Broadly-oval
		Upright-oval
'JFS-Caddo2' (Flashfire)	45'/40'	Broadly-oval
'Bailsta' (Fall Fiesta ™)	50'/50'	Upright-rounded
'Commemoration'	50'/35'	Oval-rounded
'Endowment'	50'/20'	Columnar
'Legacy'	50'/35'	Oval
'Morton' (Crescendo M)	40'/30'	Broadly-oval
'Green Mountain'	45'/35'	Broadly-oval
Planetrees		
London planetree – Platanus × acerifolia		
'Bloodgood'	50'/40'	Broadly-pyramidal
'Morton Circle' (Exclamation [™])	55'/35'	Upright-pyramidal
Oaks		
Bur oak – Quercus macrocarpa	50-80'/40-80'	Spreading
'JFS-KW3' (Urban Pinnacle [™])	55'/25'	Narrow-pyramidal
Chinkapin oak – Quercus muehlenbergii	45'/45'	Round
English/white oak – Quercus bimundorum 'Crimschmidt' (Crimson Spire 'Midwest' (Prairie Stature)	45'/15' 50'/40'	Columnar Broadly-pyramidal
<u>Hybrid oak</u> – <i>Quercus</i> × 'Clemons' (Heritage ®) 'Long' (Regal Prince ®)	40-50'/40-50' 45'/18'	Broadly-pyramidal Narrow-oval

		Height/Width	Growth Habit
	Red oak – Quercus rubra	60-75'/60'	Spreading
	Shingle oak – Quercus imbricaria	50'/40'	Broadly-oval
	Swamp white oak – Quercus bicolor	60'/60'	Round
	White oak – Quercus alba	50-70'/40-80'	Spreading
S	weetgums <u>Sweetgum – Liquidambar styraciflua</u> 'Clydesform' (Emerald Sentinel [®]) 'Moraine'	30'/12' 40'/25'	Narrow-pyramid Pyramidal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

Small-stature Trees for Iowa

This document lists several small-stature tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

<u>Deciduous Small-stature Trees</u>	Height/Width	Growth Habit
Amur maackia – Maackia amurensis	20'/20'	Upright-spreading
Cherries		
Sargent cherry – Prunus sargentii		
'JFS-KW58' (Pink Flair ®)	25'/15'	Upright
'Hokkaido Normandale' (Spring Wonde	25'/20'	Upright-spreading
Crabapples – Malus species		
'Adirondack'	18'/12'	Vase-shaped
'Beeson' (May's Delight®)	8'/8'	Upright-spreading
'Hub Tures' (Spring Sensation **)	10'/12'	Wide-spreading
'JFS-KW5' (Royal Raindrops®)	20'/15'	Upright-spreading
'Malusquest' (Pink Sparkles®)	15'/12'	Upright
'Orange Crush'	15'/15'	Round-spreading
Dogwoods		
Corneliancherry dogwood – Cornus mas	20'/20'	Round-spreading
<u>Gray dogwood</u> – Cornus racemosa		
'Jade' (Snow Mantle TM)	15'/8'	Upright-spreading
Pagoda dogwood – Cornus alternifolia	20'/20'	Spreading

Hophornbeams	Height/Width	Growth Habit
American hophornbeam – Ostrya virginiana	25'/20'	Upright-spreading
Hornbeams		
<u>American hornbeam</u> – <i>Carpinus caroliniana</i> 'J.N. Strain'	25'/25'	Spreading
'J.N. Upright' (Firespire TM)	20'/10'	Upright
Lilacs <u>Japanese tree lilac</u> – Syringa reticulata		
'Bailnce' (Snowdance TM)	18'/20'	Round-spreading
'Ivory Silk'	25'/15'	Upright
Pekin lilac – Syringa reticulata subsp. pekinensi		
'Morton' (China Snow®)	20'/20' 20'/15'	Upright-spreading
'SunDak' (Copper Curls®)	20/13	Upright-spreading
Magnolias		
<u>Loebner magnolia</u> – $Magnolia \times loebneri$		
'Merrill'	25'/25'	Upright-spreading
'Ruth' (Spring Welcome®)	20'/20'	Round-spreading
Maples		
<u>Tatarian maple</u> – <i>Acer tataricum</i> 'GarAnn' (Hot Wings[®])	20'/25'	Round-spreading
Three-flower maple – Acer triflorum	25'/25'	Upright-spreading
Pears		
<u>Callery pear</u> – <i>Pyrus calleryana</i> 'Glen's Form' (Chanticleer ®)	40'/15'	Narrow-pyramid
		ry
<u>Ussurian pear</u> – <i>Pyrus ussuriensis</i> 'MorDak' (Prairie Gem ®)	25'/20'	Oval
'Bailfrost' (Mountain Frost®)	20'/15'	Upright-oval
Redbud		
American redbud - Cercis canadensis		
'Pink Trim' (Northern Herald TM)	25'/25'	Spreading

Serviceberries

Allegheny serviceberry – Amelanchier laevis 'Cumulus' 'JFS-Arb' (Spring Flurry ®)	20'/15' 28'/20'	Upright-spreading Upright-oval
<u>Apple serviceberry</u> – Amelanchier × grandiflora 'Autumn Brilliance'	20'/15'	Hanisht annoding
		Upright-spreading
'Strata'	20'/20'	Horizontal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

The inventory was funded in part through a grant from the lowa Department of Natural Resources to assist communities in Eastern lowa with planning and managing their urban tree resources and development of response to the presence of EAB and other tree pests and problems.

Northeast Iowa RC&D and The State of Iowa are Equal Opportunity Employers.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the lowa Civil Rights Commission, 1-800-457-4416, or write to the lowa Department of Natural Resources, Wallace State Office Bldg., 502 E. 9th St., Des Moines, IA 50319.